

#### **TECHNICAL DATA SHEET**

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

#### Features:

- 2G / 3G / 4G MiMo
- Global LTE Bands:
  - B1-B23, B25-B29, B33-B42
  - N.A.; Europe, Asia (incl. Jap.)
- GNSS (GPS, Glonass)
- · Single device
  - Guaranteed Port-to-Port Isolation
- Foldable for tight spaces

#### **Applications:**

- Challenging RF Environments Demanding:
  - · Highest Peak Gain
  - Lowest ECC (Envelope Correlation Coeff.).
- Matched to Radio Modules from:
  - Sierra Wireless, Telit, Huawei, Gemalto, uBlox, ZTE, and others.
- Security, Video, Graphics
- IoT, SmartGrid, Meters, Remote Monitoring, Sensor Networks
- Transportation, Tracking



## • (

W6113 XXXX 698-96071 427.9-1510.911559-16101 1695-2200/2300-2709/3406-3400

Pulse

Flectronics

LTE DIVERSITY

OPS

W6113XXXXX
698-960/1427.9-1510.1915-9-2001/2300-2700/3466

All dimensions are in mm / inches

Issue: 2045

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



#### TECHNICAL DATA SHEET

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **ELECTRICAL SPECIFICATIONS**

#### LTE1 & LTE2:

Frequency 698-960/1427.9-1510.9/1559-1610/

1695-2200/2300-2700/3400-3600 MHz

Nominal Impedance  $50\Omega$ 

Return loss(698-960MHz) -6dB

Return loss(1427.9-1510.9/1559-1610/

1695-2200/2300-2700/3400-3600MHz) -7.5dB

Isolation(698-960MHz) -10dB

Isolation(1427.9-1510.9/1559-1610/

1695-2200/2300-2700/3400-3600MHz) -13dB

Average Total Efficiency (698-960MHz) 55%

Average Total Efficiency (1427.9-1510.9MHz) 60%

Average Total Efficiency (1559-1610MHz) 60%

Average Total Efficiency (1695-2200MHz) 65%

Average Total Efficiency (2300-2700MHz) 70%

Average Total Efficiency (3400-3600MHz) 65%





#### TECHNICAL DATA SHEET

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **ELECTRICAL SPECIFICATIONS**

| Peak Gain (698-960MHz)                  | 2.9dBi                         |
|---|--------------------------------|
| Peak Gain (1427.9-1510.9MHz)            | 1.7dBi                         |
| Peak Gain (1559-1610MHz)                | 1.8dBi                         |
| Peak Gain (1695-2200MHz)                | 3.4dBi                         |
| Peak Gain (2300-2700MHz)                | 3.8dBi                         |
| Peak Gain (3400-3600MHz)                | 4.2dBi                         |
| GNSS:                                   |                                |
| Frequency                               | 1570-1610MHz                   |
| Nominal Impedance                       | $50\Omega$                     |
| Return loss (1570-1610MHz)              | -10dB                          |
| Average Total Efficiency (1570-1610MHz) | 35%                            |
| Peak Gain (1570-1610MHz)                | 0.8dBi                         |
| Radiation Pattern                       | Omni                           |
| Polarization                            | Linear                         |
| Power withstanding                      | 3W                             |
| Connector type                          | U.FL compatible                |
| Cable type                              | Low loss Φ1.13mm Coaxial Cable |

(\*) All RF parameters measured on 2mm thick PC plate





Color

Weight

Cable type

Connector

Cable length

Fixing system

**Series: Internal Antenna** 

#### **TECHNICAL DATA SHEET**

U.FL compatible

Adhesive 3M467

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

| MECHANICAL SPECIFICATIONS |                      |
|---------------------------|----------------------|
|                           | Black                |
|                           | 3.5 g                |
|                           | OD 1.13mm coax cable |
|                           | SEE Page 6           |

#### **ENVIRONMENTAL SPECIFICATIONS**

Operating temperature -40/+85 ° C





#### TECHNICAL DATA SHEET

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

## **MECHANICAL DRAWING** (8.83) W6113XXXXX LTE DIVERSITY LTE PRIMARY ⋖ ⋖ ⋖ ⊃Cutting line on liner >Adhesive: 3M467







#### **TECHNICAL DATA SHEET**

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

| Item | Part Number | Cable length "A" (mm/inch) |
|------|-------------|----------------------------|
| 1    | W6113B0100  | 100/3.94                   |
| 2    | W6113B0130  | 130/5.12                   |



#### **TECHNICAL DATA SHEET**

Description: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

## Return Loss [dB]

#### LTE1 & LTE2 Return Loss



Note: All test results measured with 100mm cable length

Issue: 2045

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





#### TECHNICAL DATA SHEET

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

#### **CHARTS**

### Return Loss [dB]

#### **GNSS Return Loss**



Note: All test results measured with 100mm cable length



#### TECHNICAL DATA SHEET

**Description**: 2x2 MIMO LTE + GNSS FPC


**ANTENNA** 

PART NUMBER: W6113XXXXX

#### **CHARTS**

## Isolation [dB]





### Note: All test results measured with 100mm cable length



#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

#### **CHARTS**

## Efficiency(%)



Note: All test results measured with 100mm cable length



#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

#### **CHARTS**

Efficiency(%)



## Note: All test results measured with 100mm cable length



#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

#### **CHARTS**

## Peak Gain(dBi)



Note: All test results measured with 100mm cable length



#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

## Peak Gain(dBi)



Note: All test results measured with 100mm cable length

Issue: 2045

ROH



#### **TECHNICAL DATA SHEET**


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

#### **ECC**



## Note: All test results measured with 100mm cable length







#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

# LTE1 & LTE2 radiation pattern 698-960MHz (800MHz)



## Note: All test results measured with 100mm cable length

Issue: 2045

ROHS



#### **TECHNICAL DATA SHEET**


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

# LTE1 & LTE2 radiation pattern 1427.9-1510.9MHz (1450MHz)



Note: All test results measured with 100mm cable length

Issue: 2045

ROHS



#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

## LTE1 & LTE2 radiation pattern 1559-1610MHz (1570MHz)



Note: All test results measured with 100mm cable length

Issue: 2045

OHS



#### TECHNICAL DATA SHEET

**Description**: 2x2 MIMO LTE + GNSS FPC


**ANTENNA** 


**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

## LTE1 & LTE2 radiation pattern 1695-2200MHz

(1930MHz)





Note: All test results measured with 100mm cable length

Issue: 2045

ROHS



#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

# LTE1 & LTE2 radiation pattern 2300-2700MHz (2390MHz)



Note: All test results measured with 100mm cable length

Issue: 2045

ROHS



#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC


**ANTENNA** 

**PART NUMBER: W6113XXXXX** 

#### **CHARTS**

## LTE1 & LTE2 radiation pattern 3400-3600MHz (3400MHz)





Note: All test results measured with 100mm cable length

Issue: 2045

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





#### TECHNICAL DATA SHEET


**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

#### **CHARTS**

## **GNSS** radiation pattern 1570-1610MHz (1575MHz)



Note: All test results measured with 100mm cable length



#### TECHNICAL DATA SHEET

**Description**: 2x2 MIMO LTE + GNSS FPC

**ANTENNA** 

PART NUMBER: W6113XXXXX

#### **PACKAGING**

5PCS/PE bag 400 PE bag/foam bag 2 foam bag/ carton box

Total 4000PCS/Carton box



