

## Features

- Ideal for a multitude of woodworking applications including DIY, furniture making, domestic, commercial, and industrial projects
- Can be used in softwood, hardwood, and most man-made fibreboards (including chipboard)
- Manufactured from hardened steel
- Single, coarse thread offers rapid insertion as well as a strong grip
- Cross recess drive enables the screw to be inserted quickly
- Countersunk head leaves the screw surface flush, once in place
- The zinc and yellow (Z&Y) finish offers resistance against corrosion

## RS PRO Pozidriv Countersunk Steel Wood Screw

RS Stock No.:

2631808,1443470,1443471,2631814,1443472,  
2631820,1443473,2631836,2631842,1443474,  
1443475,2631858,1443476,1443477,2631864,  
1443478,2631870,1443479,2631892,1443480,  
1443481,2631909,1443482,1443483,2631915,  
2631921,1443484,2631937,1443485,2631959,  
1443486,1443487,1443488,1443489,2631965,  
1443490,1443491,2631971,1443492,1443493,  
1443494



**NB: Image for illustration purposes only**

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

## Product Description

- Chipboard screws are ideal for a multitude of woodworking applications including DIY, furniture making, domestic, commercial, and industrial projects. Manufactured from hardened steel, they are a strong screw. They can be used in softwood, hardwood, and most man-made fibreboards (including chipboard). The single, coarse thread offers rapid insertion as well as a strong grip. They are also known as 'chippy' screws because they are typically used by carpenters and joiners. The cross recess produces a great drive, enabling the screw to be inserted quickly, whilst the countersunk head leaves the screw surface flush, once in place. The zinc and yellow (Z&Y) finish offers resistance against corrosion.*

## Mechanical Specifications

d1	3	3.5	4	4.5	5
d2	6	7	8	9	10
k	1.95	2.3	2.6	2.95	3.26
Recess min.	1.76	1.6	2.05	2.64	2.89
Material Thickness max.	2.01	2.06	2.51	3.1	3.35
Recess No.	1	2	2	2	2

## Similar Products

RS Stock No.	Size
2631808	3.0 X 12mm
1443470	3.0 X 16mm
1443471	3.0 X 20mm
2631814	3.0 X 25mm
2874209	3.0 X 30mm
1443472	3.5 X 12mm
2631820	3.5 X 16mm
1443473	3.5 X 20mm
2631836	3.5 X 25mm
2874218	3.5 X 30mm
2874210	3.5 X 35mm
2631842	3.5 X 40mm

1443474	3.5 X 45mm
1443475	3.5 X 50mm
2874219	4.0 X 16mm
2874220	4.0 X 20mm
2631858	4.0 X 25mm
1443476	4.0 X 30mm
1443477	4.0 X 35mm
2631864	4.0 X 40mm
1443478	4.0 X 45mm
2631870	4.0 X 50mm
1443479	4.0 X 60mm
2874221	4.0 X 70mm
2874208	4.5 X 15mm
2874211	4.5 X 20mm
2631892	4.5 X 25mm
1443480	4.5 X 30mm
1443481	4.5 X 35mm
2631909	4.5 X 40mm
2874222	4.5 X 45mm
1443482	4.5 X 50mm
1443483	4.5 X 60mm
2631915	4.5 X 70mm
2874223	4.5 X 75mm
2874212	4.5 X 80mm
2874213	5.0 X 20mm
2874224	5.0 X 25mm
2631921	5.0 X 30mm
2874225	5.0 X 35mm
2631937	5.0 X 40mm
2874226	5.0 X 45mm
1443484	5.0 X 50mm
2874064	5.0 X 55mm
1443485	5.0 X 60mm
2631959	5.0 X 70mm
1443486	5.0 X 75mm
1443487	5.0 X 80mm
1443488	5.0 X 90mm
1443489	5.0 X 100mm
2631965	6.0 X 40mm
1443490	6.0 X 50mm

1443491	6.0 X 60mm
2631971	6.0 X 70mm
2874227	6.0 X 75mm
1443492	6.0 X 80mm
1443493	6.0 X 90mm
1443494	6.0 X 100mm
2874228	6.0 X 110mm
2874214	6.0 X 120mm
2874230	6.0 X 130mm
2874231	6.0 X 150mm
2874215	6.0 X 180mm
2874216	6.0 X 200mm

