



RoHS

REV.	EC#	DESCRIPTION	DATE	DRAWING	CHECKED	APPROVED
X0	--	NEW	06/03/2020	JACK	JAM	SUN



NOTES:

1. MATERIAL:

1.1 Housing:High Temperature Thermoplastic
UL94V-0; Color Black.

1.2 Terminal:Copper Alloy.

1.3 Shell:Stainless Steel.

2. SPECIALITY:

2.1 Rated current:0.5A

2.2 Rated voltage:30V

2.3 Contact Resistance:100mΩ MAX

2.4 Insulation Resistance:100MΩ MIN 500V DC


2.5 Dielectric withstanding voltage: 100V AC.

2.6 Solder ability:255±5℃, 10±0.5s.


2.7 Durability:5000 Cycles Min.

2.8 Operating condition:Temperature-40℃~+85℃;
Humidity 80% R.H MAX

3. PLEASE CONTACT JBL SALES REPRESENTATIVE TO
VERIFY PRODUCT DETAILS & AVAILABILITY



CD CIRCUIT



6	HOOK	1	STAINLESS STEEL	
5	SPRING	1	SWP-B	Ni: 30u"min
4	SLIDER	1	GLASS FILLED LCP	BLACK
3	SHELL	1	STAINLESS STEEL	Solder plating gold flash
2	HOUSING	1	GLASS FILLED LCP	BLACK
1	CONTACT	1	COPPER ALLOY	Contact gold flash plating ;solder plating gold flash
NO.	DESCRIPTION	QTY.	Material	Color/plating

MILLIMETERS	INCH	UNITS
X° ± 2°	X° ± 2°	MM
.X ± 0.25	.XX ± 0.012	MAT'L
.XX ± 0.20	.XXX ± 0.008	SEE NOTES
.XXX ± 0.10	.XXXX ± 0.004	FINISH
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF Dong Guan Jin Bi Lai Electronic Co.,Ltd		
COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF Dong Guan Jin Bi Lai Electronic Co.,Ltd		
QTY		
SEE NOTES		

卡特精密（深圳）有限公司

PART NUMBER:

PART_NO

TITLE: NM001


Nano Memory Card 8Pin H1.68mm P-P客户图

APPD:

DWG NO.:

CHKD:


DR:




SCALE	SHEET	REV.
1:1	1/3	X0

Nano Memory Card Pin Assignments

RoHS



RECOMMENDED PCB LAYOUT TOP VIEW (TOLERANCE:±0.05)
RECOMMENDED MATAL MASK T=0.12MM



NO PATTERN AND VIA HOLE IN HTIS AREA
 SMT SOLDER AREA

MILLIMETERS	INCH	UNITS	卡特精密（深圳）有限公司										
		MM											
X° ± 2°	X° ± 2°	MAT'L	PART NUMBER: PART_NO		TITLE: Nano Memory Card 8Pin H1.68mm P-P客户图								
.X ±0.25	.XX ±0.012	SEE NOTES											
.XX ±0.20	.XXX ±0.008	FINISH	APPD:		DWG NO.:								
.XXX±0.10	.XXXX±0.004	SEE NOTES											
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF Dong Guan Jin Bi Lai Electronic Co.,Ltd COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF Dong Guan Jin Bi Lai Electronic Co.,Ltd			QTY		<table><tr><th>SCALE</th><th>SHEET</th><th>REV.</th></tr><tr><td>1:1</td><td>2/3</td><td>X0</td></tr></table>			SCALE	SHEET	REV.	1:1	2/3	X0
			SCALE	SHEET				REV.					
1:1	2/3	X0											
SEE NOTES													

RoHS

客户拉出方向

4.00±0.10 20.00±0.10 2.00±0.10 11.50±0.10 24.00±0.10

Ø1.50±0.10

2.43±0.10

NOTES

1. 每卷包装数量:1000PCS/每卷

2. 卷带包装方式:

空10PCS 产品1000PCS 空10PCS

轴心段空200mm 产品放置区 尾部 200mm

3. 每箱包装数量:10000PCS/箱

护角

封箱胶带

纸箱

纸箱底部和顶部各垫一块保利龙


10卷/箱

外箱标签贴示位置


MILLIMETERS	INCH	UNITS	MM
X ^a ± 2 ^a	X ^a ± 2 ^a	MAT'L	
.X ± 0.30	.XX ± 0.012	SEE NOTES	
.XX ± 0.20	.XXX ± 0.008	FINISH	
.XXX ± 0.10	.XXXX ± 0.004	SEE NOTES	
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF Dong Guan Jin Bi Lai Electronic Co.,Ltd		QTY	
COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF Dong Guan Jin Bi Lai Electronic Co.,Ltd		SEE NOTES	


卡特精密（深圳）有限公司			
PART NUMBER: PART_NO		TITLE: Nano Memory Card 8Pin HLL 68mm P-P客户图	
APPD:		DWG NO.:	
CHKD:			
DR:			
SCALE	SHEET	REV.	
1:1	3/3	X0	

1. 每卷包装数量:1000PCS/每卷
2. 卷带包装方式:



3.每箱包装数量:10000PCS/箱



MILLIMETERS		INCH		UNITS		卡特精密（深圳）有限公司			
MM		MM		MM					
X* ± 2"		X* ± 2"		MAT'L		PART NUMBER: PART_NO			
.X ±0.30		.XX ±0.012		SEE NOTES					
.XX ±0.20		.XXX ±0.008		FINISH		TITLE: Nano Memory Card 8Pin H1.68mm P-P客户图			
.XXX±0.10		.XXXX±0.004		SEE NOTES					
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF Dong Guan Jin Bi Lai Electronic Co.,Ltd COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF Dong Guan Jin Bi Lai Electronic Co.,Ltd				QTY		APPD:		DWG NO.:	
				SEE NOTES		CHKD:			
				SCALE		SHEET			
				DR:		1:1		3/3	
						X0			