



Passive Components > Inductors > Power Inductors



Inductance: 10000  $\mu$ H

Current Rating (Max): 95 mA

DC Resistance: 26  $\Omega$

Inductor Quality Factor: 110

Shielded: Yes

Features

Product Type Features

Element Type	Wire Wound
--------------	------------

Electrical Characteristics

Self Resonant Frequency	.5 MHz
Inductance	10000 $\mu$ H
Current Rating (Max)	95 mA
DC Resistance	26 $\Omega$
Passive Component Tolerance	15 %

Dimensions

Passive Component Dimensions	10.5 x 9.5 mm
------------------------------	---------------

Usage Conditions

Operating Temperature Range	-25 – 105 $^{\circ}$ C
-----------------------------	------------------------

Operation/Application

Shielded	Yes
----------	-----

Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

Other

Inductor Quality Factor	110
-------------------------	-----

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1625813-1  
3632 1000UH 15% FIO

TE Part # 1625813-4  
3632 2200UH 15% FIO

TE Part # 1625813-2  
3632 10000UH 15% FIO

Customers Also Bought



TE Part #1-1939638-7  
DYNAMIC 1100D HDR ASSY H 34P  
XBLACK GOLD

TE Part #1-175195-5  
DYNAMIC D-3 REC CONT/M PRE-TIN

TE Part #2-2834075-2  
2P REC, MINIATURE WATERPROOF  
CONN.BLACK

TE Part #329860  
TERMINAL,TERMI-FOIL 16-14

TE Part #218208-002  
22759/34-16-9

TE Part #5510040002  
PD-CAP-1/4-0

TE Part #963205-1  
SEAL

TE Part #172777-1  
MIC MARE-2 TAB CONTACT

TE Part #2238021-1  
VAL-U-LOK SKT BR SN 22-18 LP

TE Part #1801606-1  
TAB HOUSING, MCON, 10 W, SEALED

Documents

Product Drawings  
3632B 10000UH 15%

English

Product Environmental Compliance  
TE Material Declaration

English