



Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **Precision Resistor**
Passive Component Dimensions: **12.7 x 6.35 mm**
Number of Terminations: **2**
Packaging Method: **Loose Piece - Box**
Passive Component Tolerance: **.1 %**

Features

Product Type Features

Resistor Type	Precision Resistor
Element Type	Wire Wound

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Operating Voltage	400 V
Passive Component Tolerance	.1 %
Resistance Class	1k Ω – 1M Ω
Resistance Value	1K Ω
Power Rating	.5 W

Body Features

Lead Type	Axial-Leaded
-----------	--------------

Termination Features

Number of Terminations	2
Termination Area Base Material	Copper

Dimensions

Passive Component Dimensions	12.7 x 6.35 mm
------------------------------	----------------



Usage Conditions

Operating Temperature Range	-55 – 145 $^{\circ}\text{C}$
Temperature Coefficient	± 5 ppm/ $^{\circ}\text{C}$

Packaging Features

Packaging Method	Loose Piece - Box
------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260 $^{\circ}\text{C}$

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

UPW50B1K0V

1K Ω , Wire Wound, Precision Resistor, .1 %, 12.7 x 6.35 mm, 2 Termination, Loose Piece - Box, .5 W, ± 5 ppm/ $^{\circ}\text{C}$, Copper Termination, Neohm UPW



TE Part # 1-1624323-0
UPW50 0.1% 5PPM 250R

TE Part # 1624322-1
UPW25 0.1% 5PPM 100K

TE Part # 1624322-2
UPW25 0.1% 5PPM 100R

TE Part # 1624322-4
UPW25 0.1% 5PPM 10R

TE Part # 1-1624322-0
UPW25 0.1% 5PPM 120R

TE Part # 1624322-5
UPW25 0.1% 5PPM 1K0

TE Part # 1624322-6
UPW25 0.1% 5PPM 250R

TE Part # 1-1624322-1
UPW25 0.1% 5PPM 350R

TE Part # 1624322-7
UPW25 0.1% 5PPM 50R

TE Part # 1624322-8
UPW25 0.1% 5PPM 5K0

TE Part # 1624323-1
UPW50 0.1% 5PPM 100K

TE Part # 1624323-2
UPW50 0.1% 5PPM 100R

TE Part # 1624323-3
UPW50 0.1% 5PPM 10K

TE Part # 1624323-4
UPW50 0.1% 5PPM 10R

TE Part # 1624323-5
UPW50 0.1% 5PPM 120R

TE Part # 1624323-7
UPW50 0.1% 5PPM 200R

TE Part # 1624323-8
UPW50 0.1% 5PPM 20K

TE Part # 1624323-9
UPW50 0.1% 5PPM 20R

TE Part # 1-1624323-1
UPW50 0.1% 5PPM 2K0

TE Part # 1-1624323-2
UPW50 0.1% 5PPM 350R

Also in the Series | [Neohm UPW](#)

UPW50B1K0V

1K Ω , Wire Wound, Precision Resistor, .1 %, 12.7 x 6.35 mm, 2 Termination, Loose Piece - Box, .5 W, ± 5 ppm/ $^{\circ}\text{C}$, Copper Termination, Neohm UPW



Through-Hole Resistors(31)

Customers Also Bought



TE Part #5-1415033-1
SR6ZB024




TE Part #1623728-5
BCHE 11 W 15K 5%



TE Part #1625959-7
HB03RE 1G0 1% 100PPM



TE Part #2-1623930-9
CFR25 5% 1K0



TE Part #8-2176412-2
5W XSM M/OX 5% 12K



TE Part #4-6609107-5
PS0SXSSXA=C1099



TE Part #216787-000
SO96-3-55-22-90



TE Part #5-1393224-2
RY212005

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1624323-6_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1624323-6_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1624323-6_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1309350_PASSIVE_COMPONENT

English

UPW50B1K0V

1K Ω , Wire Wound, Precision Resistor, .1 %, 12.7 x 6.35 mm, 2 Termination, Loose
Piece - Box, .5 W, ± 5 ppm/ $^{\circ}$ C, Copper Termination, Neohm UPW



Ultra Precision Wire-Wound Resistors - Type UPW Series - Tyco Electronics Passives

English