



LTR	REVISION	DATE	APPD
-	RELEASED	02-03-20	



ACTUAL SIZE



**NOTES:**

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
2. ADAPTER MATERIAL / COLOR: EPOXY / WHITE
3. SLEEVE MATERIAL: RYNITE FR530 (UL94V-1 MINIMUM, UL94V-0 PREFERRED)

REVISION NOTIFICATION	
<input type="checkbox"/>	DLC
<input type="checkbox"/>	UL/ETL
<input type="checkbox"/>	MADE IN USA
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER _____
REDLINE CHECKLIST	
<input type="checkbox"/>	REDLINE(YES)
<input type="checkbox"/>	DATE: _____
<input type="checkbox"/>	INITIATED BY: _____
<input type="checkbox"/>	ECR REQUIRED YES <input type="checkbox"/> NO <input type="checkbox"/>
<input type="checkbox"/>	WORK ORDER# _____

**ELECTRICAL - OPTICAL CHARACTERISTICS (Ta = 25°C)**

W206CG6-0011	W206CG6-120Vac/8	HI-EFF GREEN	120Vac	0.006 A	565nm	160°
W206CLY6-0003	W206CLY6-120Vac/8	LIME YELLOW	120Vac	0.006 A	570nm	160°
W206CR6-0006	W206CR6-120Vac/8	HI-EFF RED	120Vac	0.006 A	633nm	160°
LEDTRONICS PART NO.	DESCRIPTION PART NO.	COLOR EMITTED	INPUT VOLTAGE, V	CURRENT (A)	λP nm	VIEWING ANGLE (FULL BEAM WIDTH @ 50% INTENSITY)

<p>LEDTRONICS,™ INC. 23105 KASHIWA COURT TORRANCE, CA 90505</p>	<p><b>-PROPRIETARY-</b> This document contains Proprietary information of LEDTRONICS,™ INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS,™ INC.</p> <p>.XXX ± .010 TOLERANCE PER ANSI-Y14.5 .XX ± .025 (UNLESS OTHERWISE STATED) ANGLES ± 0°,30' FRACT. ± 1/32</p>	<p><b>TITLE</b> W206CXX6-00XX (W206CXX6-120VAC/8)</p>					
		DWG NO	SCALE	SHEET	DATE		
		W206-120VAC-1	2:1	1 OF 1	02-03-20		
CODE IDENT NO.	DWG BY GP	CHK BY	QA SB	MFG LD	R&D UF		
8Z410	02-03-20		02-03-20	02-03-20	02-03-20		