

Sliver for SFF-TA-1002

TE Internal #: 2331814-1

Internal I/O Connectors, Sliver for SFF-TA-1002, Cable Plug

Assembly, Right Angle, Cable-to-Board, Gen-Z, 84 Position, Sliver

for SFF-TA-1002


View on TE.com >



Connectors > PCB Connectors > Internal I/O Connectors











Internal I/O Connector Type: Sliver for SFF-TA-1002

Connector Mates With: Cable Plug Assembly

PCB Mount Orientation: Right Angle Connector System: Cable-to-Board

Industry Standard: **Gen-Z**

Features

Product Type Features

Internal I/O Connector Type	Sliver for SFF-TA-1002
Connector Mates With	Cable Plug Assembly
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Rows	2
PCB Mount Orientation	Right Angle
Number of Positions	84

Contact Features

Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	1.1 A



Contact Mating Area Plating Material Thickness	.076 µm[3 µin]
Townsingtion Footower	

Termination Features

Mechanical Attachment

Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	.6 mm[.023 in]
Certerine (Freely	.0 11111[.020 111]

Usage Conditions

Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]

Operation/Application

Circuit Application	Signal	
Industry Standards		

Gen-Z

Product Compliance

Industry Standard

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts








TE Part # 2367394-2 C/A, SLIVER 2C STRADDLE MOUNT TO STR

Also in the Series | Sliver for SFF-TA-1002



Connector Hardware(1)



Internal I/O Cable Assemblies(109)



Internal I/O Connectors(133)

Customers Also Bought



TE Part #3-2180324-2 zSFP+ STACKED 2X4 RECEPTACLE ASSEMBLY



TE Part #1-6600383-9 MBXL VERT HDR 1P+24S+1P STR



TE Part #1888566-2 IMJ,1X1,PNL GRD,LED(Y/G), SN



TE Part #2007882-3 IMP100S,H,V6P10C,UG,DEW46,5.5



TE Part #2185223-1 ASSY, SEATING TOOL, QSFP



TE Part #2302407-1 QSFP+ ASSY, 2X1, GSKT, 2LP-OUTR, W/ CS GA



TE Part #2335232-1 ASSY, SMT BATTERY CONN TE Part #2226412-1 ASSY PIN MODULE, 16-02 PCB RA, STD

Documents

Product Drawings
CABLE REC ASSY, 84 P, RA, SLIVER 2.0

English

CAD Files

3D PDF

3D



Customer View Model

ENG_CVM_CVM_2331814-1_4.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2331814-1_4.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2331814-1_4.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Sliver Internal Cabled Interconnect Solutions Brochure (Chinese)

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English