



wire connector 2 cables 4 units accessory for: 3VA6 150/250

Model			
product brand name	SETRON		
product designation	accessories		
Product version	circular conductor terminal		
Accessories	Wire connector		
General technical data			
designation / of the terminal	TA2.3		
Voltage			
Current			
Mechanical Design			
Connections according IEC			
IEC-marking / of terminals	25-150 mm² CU/AL NNL		
connectable conductor cross-section - for copper cable / stranded / minimum - for copper cable / stranded / maximum - for aluminum cable / stranded / minimum - for aluminum cable / stranded / maximum	25 mm² 150 mm² 25 mm² 150 mm²		
stripped length	26 / 51 mm		
Connetctions according UL			
UL-marking / of terminals	TA2.3 CMC 4-300 CU7AL UR CSA		
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C		
stripped length	1.0 / 2.0 in		
connectable conductor cross-section - for copper cable / stranded / minimum - for copper cable / stranded / maximum - for copper cable / finely stranded / minimum - for copper cable / finely stranded / maximum - for aluminum cable / stranded / minimum - for aluminum cable / stranded / maximum	4 AWG 300 kcmil 4 AWG 300 kcmil 4 AWG 300 kcmil		
tightening torque / when using copper cables - stranded - finely stranded	4 AWG - 300 kcmil: 275 lb-in 4 AWG - 300 kcmil: 275 lb-in		
Certificates			
General Product Approval	EMC	Declaration of Conformity	Shipping Approval



[Miscellaneous](#)



other

[Manufacturer
Declaration](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9244-0JJ22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)





<https://support.industry.siemens.com/cs/ww/en/ps/3VA9244-0JJ22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9244-0JJ22

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/20/2020 