

WIRE CONNECTOR WITH CONTROL WIRE TAP 4 PCS. ACCESSORY
FOR: 3VA5/6 400/600



Model		
product brand name	SETRON	
product designation	accessories	
Accessories	Wire connector	
General technical data		
designation / of the terminal	TA1.5	
Voltage		
Current		
Mechanical Design		
Connections according IEC		
IEC-marking / of terminals	50-300 mm² CU/AL 400A NNL	
connectable conductor cross-section • for copper cable / stranded / minimum • for copper cable / stranded / maximum • for aluminum cable / stranded / minimum • for aluminum cable / stranded / maximum	50 mm² 300 mm² 50 mm² 300 mm²	
stripped length	28 mm	
Connetctions according UL		
UL-marking / of terminals	TA1.5 CMC 1-600 CU7AL UR CSA	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C	
stripped length	1.1 in	
connectable conductor cross-section • for copper cable / stranded / minimum • for copper cable / stranded / maximum • for copper cable / finely stranded / minimum • for copper cable / finely stranded / maximum • for aluminum cable / stranded / minimum • for aluminum cable / stranded / maximum	1 AWG 600 kcmil 1 AWG 600 kcmil 1 AWG 600 kcmil	
tightening torque / when using copper cables • stranded • finely stranded	1 AWG - 600 kcmil: 375 lb-in 1 AWG - 600 kcmil: 375 lb-in	
Certificates		
General Product Approval	EMC	Declaration of Conformity



[Miscellaneous](#)



Declaration of Conformity

Shipping Approval



EG-Konf.



EG-Konf.



EG-Konf.



EG-Konf.



EG-Konf.



LRS

other

[Manufacturer
Declaration](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9374-0JG13>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)



<https://support.industry.siemens.com/cs/ww/en/ps/3VA9374-0JG13>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9374-0JG13

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/20/2020 