



Wire Connector with control wire tap; for 2 cables; 3 pcs.; incl. Terminal Cover Extended with probe holes for voltage test; accessory for: 3VA6 150/250 Plug-in/Draw-out Base 3VA6 150/250

Model				
product brand name	SETRON			
product designation	accessories			
Accessories	Wire connector			
General technical data				
designation / of the terminal	TA2.2			
Voltage				
Current				
Mechanical Design				
Connections according IEC				
IEC-marking / of terminals	50-240 mm² CU/AL NNL			
connectable conductor cross-section				
• for copper cable / stranded / minimum	50 mm²			
• for copper cable / stranded / maximum	240 mm²			
• for aluminum cable / stranded / minimum	25 mm²			
• for aluminum cable / stranded / maximum	240 mm²			
stripped length	30,5 mm			
tightening torque / when using copper cables				
• stranded	31 Nm			
• finely stranded	31 Nm			
Connetctions according UL				
UL-marking / of terminals	TA2.2 CMC 2-350 CU7AL UR CSA			
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C			
stripped length	1.2 in			
connectable conductor cross-section				
• for copper cable / stranded / minimum	2 AWG			
• for copper cable / stranded / maximum	350 kcmil			
• for copper cable / finely stranded / minimum	2 AWG			
• for copper cable / finely stranded / maximum	350 kcmil			
• for aluminum cable / stranded / minimum	2 AWG			
• for aluminum cable / stranded / maximum	350 kcmil			
tightening torque / when using copper cables				
• stranded	275 lb-in			
• finely stranded	275 lb-in			
Certificates				
General Product Approval	EMC	Declaration of	Shipping	other

		Conformity	Approval	
--	--	------------	----------	--

[Miscellaneous](#)



[Manufacturer Declaration](#)

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9243-0JC18>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)






<https://support.industry.siemens.com/cs/ww/en/ps/3VA9243-0JC18>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9243-0JC18

Tender specifications

<http://www.siemens.com/specifications>



last modified:

12/20/2020