




Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance >

Wedgelocks: DEUTSCH DT



Connector & Contact Retention Accessory Type: **Secondary Lock**

Primary Product Color: **Gray**

Primary Product Material: **PBT**

Number of Positions: **4**

Sealable: **No**

[All Wedgelocks: DEUTSCH DT \(51\)](#)

Features

Product Type Features

Connector & Contact Retention Accessory Type	Secondary Lock
Sealable	No

Configuration Features

Number of Positions	4
---------------------	---

Body Features

Primary Product Color	Gray
Primary Product Material	PBT

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Box
------------------	-----

Other

Serviceable	Yes
-------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # DT06-4S-E005
PLG, 4P, BLK, N, CAP





TE Part # DT06-4S-CE04
PLG, 4P, GRY, E, XCAP




TE Part # DT06-4S-CE02
PLG, 4P, BLK, E



TE Part # DT06-4S-E004
PLG, 4P, BLK, N

 TE Part # DT06-4S-EP04 PLG, 4P, GRY, N, CAP	 TE Part # DT06-4S-CE01 PLG, 4P, GRY, E, CAP	 TE Part # DT06-4S-C015 PLG, 4P, GRY, E	 TE Part # DT06-4S-E003 PLG, 4P, GRY, N, CAP
 TE Part # DT06-4S-E008 PLG, 4P, GRY, N, XCAP	 TE Part # DT06-4S PLG, 4P, GRY, N	 TE Part # DT06-4S-P004 PLG, 4P, GRY, N	 TE Part # 1-2448104-1 4POS,DIA 1.6MM,SOC HSG ASSY,SLD, E,BROWN
 TE Part # 2-2448104-3 4POS,DIA 1.6MM,SOC HSG ASSY,SLD, N,BLUE	 TE Part # 2-2448104-2 4POS,DIA 1.6MM,SOC HSG ASSY,SLD, N,GREEN	 TE Part # 1-2448104-2 4POS,DIA 1.6MM,SOC HSG ASSY,SLD, E,GREEN	 TE Part # 2-2448104-1 4POS,DIA 1.6MM,SOC HSG ASSY,SLD, N,BROWN
 TE Part # 1-2448104-3 4POS,DIA 1.6MM,SOC HSG ASSY,SLD, E,BLUE	 TE Part # DT06-4S-CE03 PLG, 4P, BLK, E, CAP		

Also in the Series | **DEUTSCH DT**

 Automotive Connector Caps & Covers (19)	 Automotive Connector Locks & Position Assurance(74)	 Automotive Housings(658)	 Connector Backshells(58)
--	--	---	---



Connector Seals & Cavity Plugs(6)




Connector Strain Relief(28)



Insertion & Extraction Tools(3)



Other Automotive Connector Accessories(27)



PCB Headers & Receptacles(103)

Customers Also Bought



TE Part #W4SB
Wedgelocks: DEUTSCH DT



TE Part #DTM06-2S-EP10
PLG, 2P, BLK, 120 OHM RESISTOR, AU, B



TE Part #HDP26-18-20SE-L017
PLG, 20P, BLK, E, RNG, 16/20, S



TE Part #DTM4P-BT
BOOT, 4P, REC, ST, GRY



TE Part #2380841-1
SDE F MCON 050 0.22-0.35mm2 ASSY

Documents

Product Drawings

WEDGE LOCK, 4P, PLG, GRY, STD, DT, A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_W4SA_D.2d_dxf.zip

English

Customer View Model

[ENG_CVM_CVM_W4SA_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_W4SA_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English