

Sensors > Temperature Sensors > RTD Sensors > RTD Sensor Elements > Pt1000 RTD Thin Film Element



RTD Element Type: **Platinum Thin Film Temperature Element**

Tolerance Class: **Class B / F0.3**

Element Package: **Ceramic**

Element Material: **Platinum**

Lead Wire Style: **Ni/Au**

[All Pt1000 RTD Thin Film Element \(27\)](#)

## Features

### Product Type Features

Wire/Cladding Type	Ni/Au
Model Number	PTFC102BC1G0
RTD Element Type	Platinum Thin Film Temperature Element
Element Material	Platinum
Lead Wire Style	Ni/Au

### Configuration Features

Connector Type	Open Ends
----------------	-----------

### Dimensions

Height (Body)	1.1 mm[.043 in]
Wire Length	10 mm[.393 in]
Wire Diameter	.25 mm[.009 in]
Length (Body)	2.3 mm[.09 in]
Width (Body)	2 mm[.078 in]

### Usage Conditions

Resistance (at T_ref)	1000 (0 °C) Ω
T_ref for Accuracy	0 °C

Ambient Temperature Range	-200 – 200 °C[-328 – 392 °F]
T1 and T2 for TCR	0 and +100 °C
TCR at (T1 and T2)	3850 ppm/°C
Accuracy (at T_ref)	± .3 °C
T_ref for Resistance	0 °C
Maximum Temperature	200 °C[392 °F]

### Packaging Features

Element Package	Ceramic
-----------------	---------

### Other

Tolerance Class	Class B / F0.3
Wire Count	2

### Product Compliance

For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # NB-PTCO-160  
Pt100, 2.0x2.3, Class B, PTFC101B1A0



TE Part # NB-PTCO-165  
Pt1000, 2.0x2.3, Class T, PTFC102T1A0

## Also in the Series | MEAS PTF



RTD Sensor Elements(53)

## Customers Also Bought



TE Part #5-917688-1  
Glow Wire Signal Double Lock Plug



TE Part #2-1879456-8  
TE 2000W 180R 5% Bracket



TE Part #DT15-2P-P010  
HDR, 2P, GRY, ST, 5 PSI, NI/CU



TE Part #350986-4  
02P UMNL HDR ASSY LNG/TL



TE Part #2203698-1  
2P MCON UNSEALED PLUG WIRE  
DRESS



TE Part #2203701-3  
2POS, MCON 1.2 CB TAB 2p TL  
UNSEALED

## Documents

### CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_NB-PTCO-295\\_A.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_NB-PTCO-295\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_NB-PTCO-295\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[PTFC102BC1G0](#)

English

[Pt1000, 2.0x2.3, Class B, PTFC102BC1G0](#)

English