
50KEBS6BFPDVM <

TE Internal #: 7-1609965-4

3-Phase Filters, 50A Current Rating, Threaded Bolt Input, Threaded Bolt Output, DELTA (3 wire + ground), Operating Voltage 520 VAC, DIN Rail

View on TE.com >

EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters



Current Rating: 50 A

Input Termination Type: Threaded Bolt

Output Termination Type: Threaded Bolt

Wiring Configuration: **DELTA (3 wire + ground)**

Operating Voltage: 520 VAC

Features

Product Type Features

TE connectivity

Filtering Requirements	Filtered
Input Termination Type	Threaded Bolt
Output Termination Type	Threaded Bolt
Configuration Features	
Wiring Configuration	DELTA (3 wire + ground)
Electrical Characteristics	
Leakage Current (Max) (230VAC, 50Hz)	5
Current Rating	50 A
Operating Voltage	520 VAC
Mechanical Attachment	
Product Mount Type	DIN Rail
Usage Conditions	
Operating Temperature Range	-25 – 85 °C

50KEBS6BFPDVM

3-Phase Filters, 50A Current Rating, Threaded Bolt Input, Threaded Bolt Output, DELTA (3 wire + ground), Operating Voltage 520 VAC, DIN Rail



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought

50KEBS6BFPDVM

3-Phase Filters, 50A Current Rating, Threaded Bolt Input, Threaded Bolt Output, DELTA (3 wire + ground), Operating Voltage 520 VAC, DIN Rail





Documents

Product Drawings KEB 50A 1S NUT DELTA 520VAC

English

CAD Files **Customer View Model** ENG_CVM_CVM_7-1609965-4_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_7-1609965-4_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_7-1609965-4_B.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages Catalogue - Corcom 3-Phase-Emi-Filter

English

KEB SERIES

English