




Changeover operating mechanism for contactors 3RT105, 3RT145 AC (50...60 Hz) / DC operation, 21 ... 27.3 V Operating mechanism: electronic with PLC input 24 V DC Screw terminal

General technical data		
product brand name	SIRIUS	
product designation	Magnet coil	
Control circuit		
type of voltage of the control supply voltage	AC/DC	
control supply voltage		
• 2 at AC		
— at 50 Hz rated value		
— at 60 Hz rated value	27.3 V	
control supply voltage		
• 2 at DC rated value	27.3 V	
Certificates/ approvals		
General Product Approval	EMC	Declaration of Conformity



[Miscellaneous](#)



Test Certificates	Shipping Approval	other
Special Test Certificate Type Test Certificates/Test Report	 	Confirmation
other	Railway	

[Miscellaneous](#)

[Special Test Certificate](#)

Further information
Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT1955-5NB31>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT1955-5NB31>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT1955-5NB31>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT1955-5NB31&lang=en





last modified:

11/18/2020 