

2355825-2

✓ ACTIVE

Mezalok HSLF

TE Internal #: 2355825-2

PCB Mount Receptacle, Vertical, Board-to-Board, 114 Position, 1.27 mm [.05 in] Centerline, Gold, Surface Mount - Solder Ball, Signal, Mezalok HSLF

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Headers & Receptacles

PCB Connector Assembly Type: **PCB Mount Receptacle**PCB Mount Orientation: **Vertical**Connector System: **Board-to-Board**Number of Positions: **114**Number of Rows: **6****Features****Product Type Features**

| | |
|-----------------------------------|-----------------------|
| PCB Connector Assembly Type | PCB Mount Receptacle |
| Connector System | Board-to-Board |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Features

| | |
|-----------------------|----------|
| Stackable | Yes |
| PCB Mount Orientation | Vertical |
| Number of Positions | 114 |
| Number of Rows | 6 |

Electrical Characteristics

| | |
|---------------------------------------|---------|
| Dielectric Withstanding Voltage (Max) | 750 VAC |
| Operating Voltage | 250 VAC |

Body Features

| | |
|-----------------------|---------|
| Primary Product Color | Natural |
|-----------------------|---------|

Contact Features

| | |
|--|--------------------------|
| Contact Layout | Matrix |
| Mating Tab Width | .43 mm [.017 in] |
| Mating Tab Thickness | .46 mm [.018 in] |
| PCB Contact Termination Area Plating Material | Tin-Lead |
| Contact Base Material | Beryllium Copper |
| Contact Mating Area Plating Material | Gold |
| Contact Mating Area Plating Material Thickness | 50 μ m [50 μ in] |
| Contact Type | Socket |
| Contact Current Rating (Max) | 1.5 A |

Termination Features

| | |
|---|-----------------------------|
| Termination Method to Printed Circuit Board | Surface Mount - Solder Ball |
|---|-----------------------------|

Mechanical Attachment

| | |
|-------------------------|-------------|
| Mating Alignment | With |
| Mating Alignment Type | Keyed |
| PCB Mount Retention | Without |
| PCB Mount Alignment | Without |
| Connector Mounting Type | Board Mount |

Housing Features

| | |
|--------------------|------------------|
| Centerline (Pitch) | 1.27 mm [.05 in] |
| Housing Material | LCP |

Dimensions

| | |
|--------------------|------------------|
| Connector Height | 6 mm [.236 in] |
| Row-to-Row Spacing | 1.27 mm [.05 in] |
| Stack Height | 10 mm [.394 in] |

Usage Conditions

| | |
|-----------------------------|-----------------------------|
| Operating Temperature Range | -55 – 125 °C [-67 – 257 °F] |
|-----------------------------|-----------------------------|

Operation/Application

| | |
|--------------------------|----------------------|
| Assembly Process Feature | Pick and Place Cover |
| Circuit Application | Signal |

Industry Standards

| | |
|------------------------|----------|
| Industry Standard | VITA 61 |
| UL Flammability Rating | UL 94V-0 |

Packaging Features

| | |
|--------------------|-------------|
| Packaging Quantity | 450 |
| Packaging Type | Tape & Reel |

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2102060-2
 Mezalok, Pin, 114 p, 50 Au, LF

Also in the Series | Mezalok HSLF



PCB Headers & Receptacles(21)

Customers Also Bought



TE Part #2102060-2
 High-speed Mezzanine Connector: Pin & Socket Connector



TE Part #2274001-1
 ZSFP+ 1X1 CAGE ASSEMBLY
 PRESSFIT



TE Part #2149027-1
 MiniSAS HD 1x1 Rec Assy



TE Part #2102771-1
 DC, 7Row, Center, MULTIGIG RT 2R



TE Part #2302789-1
 VERTRECASSY, CENTER, MULTIGIG
 RT3



TE Part #2302790-1
 VERTRECASSY, RIGHTEND, MULTIGIG
 RT3



TE Part #2332816-1
 RA Plug Assy Left End Multigig RT 3



TE Part #1410189-4
 MULTIGIG RT T2 7RW H-LFT, ET2



TE Part #1410187-4
 MULTIGIG RT T2 7RW DC DF CT

Documents

Product Drawings

[Mezalok, Socket, 114 p, 10 mm, 50 Au, LF](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_2355825-2_1.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2355825-2_1.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2355825-2_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English

[Product Specification](#)

English