




Data

Physical data

Width	9.6 mm / 0.378 inches
-------	-----------------------

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.036 MJ
Weight	0.8 g

Commercial data

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Packaging type	box
Country of origin	DE
GTIN	4045454732769
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads
Documentation

Bid Text

2022-151 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
2022-151 doc - Datei	2017 Jan 30	doc 24.1 kB	Download

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2022-151		URL	Download
-----------------------	--	-----	----------

CAE data

WSCAD Universe 2022-151		URL	Download
ZUKEN Portal 2022-151		URL	Download

Asset Administration Shell

Asset Administration Shell 2022-151		URL	Download
-------------------------------------	--	-----	----------


Environmental Product Compliance

Compliance Search


Subject to changes. Please also observe the further product documentation!

Installation Notes

Locking system



Slide the locking lever into position.



Female plugs can be individually locked.

Product family

X-COM S

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!