



Picture differs from the item.

Color:

## Data

### Technical data

Marking method	Thermal transfer
Marking	49 / 50
Marking (number)	50
Marking direction	Horizontal marking
Marking color	black
Marking type	Numbers
Marking differentiation	Same numbers per strip
Delivery form	Marker card
Delivery form configuration	10 strips with 10 markers per card
Flammability class per UL94	V2

### Physical data

Marker/strip width	5 mm
Marker width	5 mm

Subject to changes. Please also observe the further product documentation!

## Mechanical Data

Smear resistance	EN 60998-1:2004
------------------	-----------------

## Material data

Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	7.8 g
Fire load	0.234 MJ

## Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	50 (5) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332274036
Customs tariff number	49119900000

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 209-542	URL	Download
WSB marking card; as card; MARKED; 49 / 50 (50 each); not stretchable; Horizontal marking; snap-on type; white		

## Installation Notes

Subject to changes. Please also observe the further product documentation!

## Product family

**WSB Quick marking system**  
[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!