



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	113.5 mm / 4.469 inches
Depth	36.5 mm / 1.437 inches

### Mechanical Data

Mounting type	snap-on type
---------------	--------------

### Material data

#### Note (material data)

Information on material specifications can be found [here](#)

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Weight	4.1 g

### Commercial data

eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastraße 27  
32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143747578
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block

	<b>Item no.: 2116-1301</b>	3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm <sup>2</sup> ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2116-1301">www.wago.com/2116-1301</a>
--	----------------------------	--	--

	<b>Item no.: 2116-1304</b>	3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm <sup>2</sup> ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2116-1304">www.wago.com/2116-1304</a>
--	----------------------------	--	--

	<b>Item no.: 2116-5301</b>	3-conductor through terminal block; with lever and push-button; 16 mm <sup>2</sup> ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2116-5301">www.wago.com/2116-5301</a>
--	----------------------------	--	--

	<b>Item no.: 2116-5304</b>	3-conductor through terminal block; with lever and push-button; 16 mm <sup>2</sup> ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2116-5304">www.wago.com/2116-5304</a>
--	----------------------------	--	--

Ground terminal block

	<b>Item no.: 2116-1307</b>	3-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 16 mm <sup>2</sup> ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2116-1307">www.wago.com/2116-1307</a>
	<b>Item no.: 2116-5307</b>	3-conductor ground terminal block; with lever and push-button; 16 mm <sup>2</sup> ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2116-5307">www.wago.com/2116-5307</a>

## Downloads

### Documentation

#### Bid Text

2116-1392	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

2116-1392  
docx - Datei

2018 Aug 8

docx  
14.6 kB

[Download](#)

---

#### Additional Information

pdf  
2.3 MB

[Download](#)

---

## CAD/CAE-Data

### CAD data

2D/3D Models 2116-1392

[URL](#) [Download](#)

---

### CAE data

EPLAN Data Portal 2116-1392

[URL](#) [Download](#)

---

ZUKEN Portal 2116-1392

[URL](#) [Download](#)

---

## Asset Administration Shell

Asset Administration Shell 2116-1392

[URL](#) [Download](#)

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2116-1392

[URL](#) [Download](#)

---

End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; orange

## Installation Notes

### Product family

#### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

---

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastra. 27  
32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.