



Color: —

## Data

### Physical data

Width	1 mm / 0.039 inches
Height	91 mm / 3.583 inches
Depth	36.5 mm / 1.437 inches

### Mechanical Data

Mounting type	snap-on type
---------------	--------------

### Material data

Note (material data)	Information on material specifications can be found <a href="#">here</a>
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.098 MJ
Weight	3.4 g

Subject to changes. Please also observe the further product documentation!

## Commercial data

eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143747547
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block		<b>Item no.: 2116-1204</b>	2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; blue	<a href="http://www.wago.com/2116-1204">www.wago.com/2116-1204</a>
------------------------	--	----------------------------	--	--

	<b>Item no.: 2116-1201</b>	2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; gray	<a href="http://www.wago.com/2116-1201">www.wago.com/2116-1201</a>
--	----------------------------	--	--

	<b>Item no.: 2116-5201</b>	2-conductor through terminal block; with lever and push-button; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; gray	<a href="http://www.wago.com/2116-5201">www.wago.com/2116-5201</a>
--	----------------------------	--	--

	<b>Item no.: 2116-5204</b>	2-conductor through terminal block; with lever and push-button; 16 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; blue	<a href="http://www.wago.com/2116-5204">www.wago.com/2116-5204</a>
--	----------------------------	--	--

	<b>Item no.: 2116-1207</b>	2-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; green-yellow	<a href="http://www.wago.com/2116-1207">www.wago.com/2116-1207</a>
--	----------------------------	---	--

	<b>Item no.: 2116-5207</b>	2-conductor ground terminal block; with lever and push-button; 16 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; green-yellow	<a href="http://www.wago.com/2116-5207">www.wago.com/2116-5207</a>
--	----------------------------	---	--

Subject to changes. Please also observe the further product documentation!

## Downloads

### Documentation

#### Bid Text

2116-1291	2019 Feb 19	xml	<a href="#">Download</a>
X81 - Datei		2.6 kB	
2116-1291	2018 Aug 8	docx	<a href="#">Download</a>
docx - Datei		14.6 kB	

#### Additional Information

	pdf	<a href="#">Download</a>
	2.3 MB	

## CAD/CAE-Data

### CAE data

EPLAN Data Portal 2116-1291	URL	<a href="#">Download</a>
ZUKEN Portal 2116-1291	URL	<a href="#">Download</a>

### CAD data

2D/3D Models 2116-1291	URL	<a href="#">Download</a>
------------------------	-----	--------------------------

### Asset Administration Shell

Asset Administration Shell 2116-1291	URL	<a href="#">Download</a>
--------------------------------------	-----	--------------------------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2116-1291	URL	<a href="#">Download</a>
End and intermediate plate; 1 mm thick; gray		

## Installation Notes

Subject to changes. Please also observe the further product documentation!

## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.