




Data
Technical data

Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	500 pcs/reel
Printing device	Smart Printer (Thermal Transfer Printer)

Physical data

Depth	0.12 mm
Marking surface	18 x 44 mm
Sheathed cable diameter	6 ... 22 mm

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Mechanical Data

Mounting type	Wrapping
Smear resistance	in conjunction with 258-5014 Ink Ribbon

Material data

Color	white
Material	Polyvinyl chloride
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	340 g

Environmental requirements

Ambient temperature (storage)	+10 ... +22 °C
Ambient temperature (operation)	-30 ... +120 °C
Relative humidity	40 ... 50 %

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-06-29
ETIM 8.0	EC001530
ETIM 7.0	EC001530
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143082822
Customs tariff number	39191080888

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Marking accessories

Marking device

Subject to changes. Please also observe the further product documentation!



Item no.: 258-5000
Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

www.wago.com/258-5000

Downloads
Documentation

Operating Instructions

211-856 Information on printing material	1 2020 Aug 28	pdf 1.3 MB	Download
--	------------------	---------------	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 211-857 Self-laminating labels; for Smart Printer; 18 x 44 mm; white	URL	Download
--	-----	----------

Installation Notes

Marking



Remove the printed label from the sheet or reel.



Wrap the label around the conductor or cable.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



The transparent laminate protects the marking.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.