




Data
Connection data

Connection 1

Pole number	1
-------------	---

Physical data

Pin spacing	5/5.08 mm / 0.197/0.2 inches
Width	5 mm / 0.197 inches
Height	9.2 mm / 0.362 inches
Depth	12.5 mm / 0.492 inches

Mechanical Data

Application	extends pin spacing
-------------	---------------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Mounting type	snap-on type
---------------	--------------

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.009 MJ
Weight	0.3 g

Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	1000 (100) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332126724
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Additional Information

2019 Apr 3	pdf 2.1 MB	Download
------------	---------------	----------

CAD/CAE-Data

CAD data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



2D/3D Models 235-701	URL	Download
CAE data		
EPLAN Data Portal 235-701	URL	Download
ZUKEN Portal 235-701	URL	Download
Asset Administration Shell		
Asset Administration Shell 235-701	URL	Download
Environmental Product Compliance		
Compliance Search		
Environmental Product Compliance 235-701 Spacer; for doubling the pin spacing; gray	URL	Download

Installation Notes

Subject to changes. Please also observe the further product documentation!