


Data sheet | Item number: 247-508

Mini-WSB marking card; as card; MARKED; 24 V (100x); not stretchable;
Horizontal marking; snap-on type; white

www.wago.com/247-508



Picture differs from the item.

Color:

Data

Technical data

Suitable	for WAGO I/O System
Marking method	Thermal transfer
Marking	24 V
Marking (number)	100
Marking direction	Horizontal marking
Marking color	black
Marking type	Symbol
Marking differentiation	Same symbols per strip
Delivery form	Marker card
Delivery form configuration	10 strips with 10 markers per card

Physical data

Marker/strip width	5 mm
Marker width	5 mm

Subject to changes. Please also observe the further product documentation!

Mechanical Data

Smear resistance	EN 60998-1:2004
------------------	-----------------

Material data

Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	6.2 g
Fire load	0.185 MJ

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	50 (5) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332253345
Customs tariff number	49119900000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 247-508	URL	Download
Mini-WSB marking card; as card; MARKED; 24 V (100x); not stretchable; Horizontal marking; snap-on type; white		

Installation Notes

Marking

Subject to changes. Please also observe the further product documentation!



Marking via Mini-WSB Quick Marking System.

Product family

Mini-WSB

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.