




Color: —



Data

Technical data

Properties

pivoting

Material data

Color

gray

Weight

0.7 g

Fire load

0.072 MJ

Commercial data

Product Group

2 (Terminal Block Accessories)

eCl@ss 10.0

27-14-40-75

eCl@ss 9.0

27-14-40-75

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastra. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

ETIM 8.0	EC002248
ETIM 7.0	EC002248
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332315371
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

Marking accessories

Protective marker cover	
	Item no.: 209-184 Protection cover; transparent
	www.wago.com/209-184
Marker	
	Item no.: 209-183 Marker; white
	www.wago.com/209-183

Downloads

CAD/CAE-Data

CAD data

2D/3D Models 249-105	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 249-105	URL	Download
------------------------	-----	----------

ZUKEN Portal 249-105

ZUKEN Portal 249-105	URL	Download
----------------------	-----	----------

Asset Administration Shell	
Asset Administration Shell 249-105	URL

Environmental Product Compliance

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Compliance Search

Environmental Product Compliance 249-105


URL

Download

Group marker carrier; gray

Installation Notes

Application



This pivoting group marker carrier has been developed for group marking of rail-mount terminal blocks and incorporates many customer requirements:

- Can be used in all multiprofile marker slots for rail-mount terminal blocks 5 mm (0.197 inch) and above or in spacer housings as shown above.
- Pivotal to seven different stable positions, providing the best visual angle in case of difficult mounting conditions
- Two levels for different marking systems
Level a: for marker (4 x 34) mm (see above)
Level b: for 12 WCB-Combi markers (see www.wagocatalog.com)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastra. 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.