



Data
Physical data

Width	2 mm / 0.079 inches
Height	67.8 mm / 2.669 inches
Depth	25.4 mm / 1 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.146 MJ
Weight	3.3 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886

Subject to changes. Please also observe the further product documentation!




ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332295017
Customs tariff number	8538909990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block		
	Item no.: 279-604 4-conductor through terminal block; 1.5 mm ² ; suitable for Ex i applications; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm ² ; blue	www.wago.com/279-604
	Item no.: 279-621 4-conductor through terminal block; 1.5 mm ² ; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-621
Double potential terminal block		
	Item no.: 279-626 Double potential terminal block; 1.5 mm ² ; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-626
Component terminal block with LED		
	Item no.: 279-624/281-413 Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-624/281-413
	Item no.: 279-624/281-434 Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-624/281-434
Component terminal block with diode		
	Item no.: 279-623/281-410 Component terminal block; 4-conductor; with diode 1N4007; anode, left side; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-623/281-410
	Item no.: 279-623/281-411 Component terminal block; 4-conductor; with diode 1N4007; anode, right side; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-623/281-411
	Item no.: 279-620/281-408 Component terminal block; 4-conductor; for lamp test circuits up to 60 V; with 2 diodes 1N4007; Right-side anode; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm ² ; CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/279-620/281-408

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Downloads
Documentation
Additional Information

pdf
2.3 MB

Download

CAD/CAE-Data

CAD data

2D/3D Models 279-316

URL

Download

CAE data

EPLAN Data Portal 279-316

URL

Download

WSCAD Universe 279-316

URL

Download

ZUKEN Portal 279-316

URL

Download

Asset Administration Shell

Asset Administration Shell 279-316

URL

Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 279-316

URL

Download

End and intermediate plate; 2 mm thick; gray

Installation Notes

Subject to changes. Please also observe the further product documentation!