



Data

Material data

Note (material data)

Information on material specifications can be found [here](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Color	yellow
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.015 MJ
Weight	0.5 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332813006
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

282-370	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	

282-370	2017 Mar 3	doc	Download
doc - Datei		24.1 kB	

Additional Information

pdf Download

Subject to changes. Please also observe the further product documentation!

CAD/CAE-Data

CAD data

2D/3D Models 282-370	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 282-370	URL	Download
ZUKEN Portal 282-370	URL	Download

Asset Administration Shell

Asset Administration Shell 282-370	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 282-370	URL	Download
Lock-out; for disconnect link; yellow		

Installation Notes



Inserting a lock-out.

Subject to changes. Please also observe the further product documentation!