



Picture differs from the item.

## Data

### Material data

Note (material data)

Information on material specifications can be found here

Color	transparent
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastra. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Fire load	0.065 MJ
Weight	1.1 g

## Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (10) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332283182
Customs tariff number	39269097900

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Documentation

#### Bid Text

282-882	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	
282-882	2017 Mar 3	doc	Download
doc - Datei		24.1 kB	

#### Additional Information

pdf	Download
2.3 MB	

Subject to changes. Please also observe the further product documentation!

## CAD/CAE-Data

### CAD data

2D/3D Models 282-882	URL	Download
----------------------	-----	----------

### CAE data

WSCAD Universe 282-882	URL	Download
------------------------	-----	----------

ZUKEN Portal 282-882	URL	Download
----------------------	-----	----------

EPLAN Data Portal 282-882	URL	Download
---------------------------	-----	----------

### Asset Administration Shell

Asset Administration Shell 282-882	URL	Download
------------------------------------	-----	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 282-882	URL	Download
--	-----	----------

Locking cover; mechanically locks multiple links; 2-pole; transparent

## Installation Notes

### Locking system

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27


32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Snapping transparent locking cover onto 1-8 disconnect links:

- a) Mechanically lock several links for multi-pole switching applications
- b) Protect markers



Snapping transparent locking cover onto 1-8 disconnect links:

- a) Mechanically lock several links for multi-pole switching applications
- b) Protect markers

Subject to changes. Please also observe the further product documentation!