



Data  
Material data

|                             |                                                          |
|-----------------------------|----------------------------------------------------------|
| Note (material data)        | Information on material specifications can be found here |
| Color                       | transparent                                              |
| Material group              | I                                                        |
| Insulation material         | Polyamide (PA66)                                         |
| Flammability class per UL94 | V0                                                       |
| Fire load                   | 0.122 MJ                                                 |
| Weight                      | 4.6 g                                                    |

Environmental requirements

|                                  |                 |
|----------------------------------|-----------------|
| Processing temperature           | -35 ... +85 °C  |
| Continuous operating temperature | -60 ... +105 °C |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Commercial data

|                       |                                  |
|-----------------------|----------------------------------|
| Product Group         | 1 (Rail Mounted Terminal Blocks) |
| eCl@ss 10.0           | 27-14-11-92                      |
| eCl@ss 9.0            | 27-14-11-92                      |
| ETIM 8.0              | EC002848                         |
| ETIM 7.0              | EC002848                         |
| PU (SPU)              | 50 (10) pcs                      |
| Packaging type        | box                              |
| Country of origin     | DE                               |
| GTIN                  | 4045454636296                    |
| Customs tariff number | 39269097900                      |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Downloads

### Documentation

#### Bid Text

|             |             |         |          |
|-------------|-------------|---------|----------|
| 282-887     | 2019 Feb 19 | xml     | Download |
| X81 - Datei |             | 2.6 kB  |          |
| 282-887     | 2017 Mar 3  | doc     | Download |
| doc - Datei |             | 24.1 kB |          |

#### Additional Information

|  |        |          |
|--|--------|----------|
|  | pdf    | Download |
|  | 2.3 MB |          |

## CAD/CAE-Data

### CAE data

|                        |     |          |
|------------------------|-----|----------|
| WSCAD Universe 282-887 | URL | Download |
|------------------------|-----|----------|

### CAD data

|                      |     |          |
|----------------------|-----|----------|
| 2D/3D Models 282-887 | URL | Download |
|----------------------|-----|----------|

## Asset Administration Shell

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

|                                    |     |          |
|------------------------------------|-----|----------|
| Asset Administration Shell 282-887 | URL | Download |
|------------------------------------|-----|----------|


Environmental Product Compliance

Compliance Search

|                                                                       |     |          |
|-----------------------------------------------------------------------|-----|----------|
| Environmental Product Compliance 282-887                              | URL | Download |
| Locking cover; mechanically locks multiple links; 7-pole; transparent |     |          |

Installation Notes

Locking system



Snapping transparent locking cover onto 1–8 disconnect links:  
a) Mechanically lock several links for multi-pole switching applications  
b) Protect markers



Snapping transparent locking cover onto 1–8 disconnect links:  
a) Mechanically lock several links for multi-pole switching applications  
b) Protect markers

Subject to changes. Please also observe the further product documentation!