



Picture differs from the item.

Color coding acc. to DIN VDE 47100		9 poles female Sub-D connector
		Pin number
White	[Color swatch: White]	1
Brown	[Color swatch: Brown]	2
Green	[Color swatch: Green]	3
Yellow	[Color swatch: Yellow]	4
Grey	[Color swatch: Light Grey]	5
Pink	[Color swatch: Pink]	6
Blue	[Color swatch: Cyan]	7
Red	[Color swatch: Red]	8
Black	[Color swatch: Black]	9
Shield	[Color swatch: Green and Yellow]	Connected to Sub-D

Data Notes

Note

When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

Electrical data

Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

Subject to changes. Please also observe the further product documentation!

Connection data

Cable type	LiYCY
Color code	per DIN VDE 47100

Connection 1

Connector	D-subminiature female connector
Pole number 1	9
Connection type 1	System
Wire cross-section	0.25 mm ²

Connection 2

Connector 2	open-ended
Connection type 2	open-ended

Physical data

Cable length	2 m
--------------	-----

Material data

Weight	1.1 g
--------	-------

Environmental requirements

Ambient temperature (operation)	-20 ... +50 °C
---------------------------------	----------------

Commercial data

ETIM 8.0	EC001855
ETIM 7.0	EC001855
PU (SPU)	1 pcs
Packaging type	bag
Country of origin	FR
GTIN	4055143491105
Customs tariff number	85444290900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-100/609-200

URL

Download

Connection cable; 9-pole; with solder pin; Female connector; open-ended; Length: 2 m; Conductor cross-section: 0.25 mm²

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.