


Data sheet | Item number: 706-3057/202-100
System cable; for Schneider TSX; 8 digital outputs for higher voltages;
Length: 1 m; Conductor cross-section: 0.34 mm²



www.wago.com/706-3057/202-100



Color coding acc. to DIN VDE 47100		Connector WAGO 231 (JA)		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	OUT0.0	1	L0
Brown		2	OUT0.1	2	L1
Green		3	OUT0.2	3	L2
Yellow		4	OUT0.3	4	L3
Grey		5	OUT0.4	5	L4
Pink		6	OUT0.5	6	L5
Blue		7	OUT0.6	7	L6
Red		8	OUT0.7	8	L7
Black		9	L	5+10+ 15+20	C0-15
Violet		10	nc	nc	cn
Grey-Pink		11	nc	nc	nc
Red-Blue		12	nc	nc	nc

**Data
Notes**

Note	If less than 3 channels are used simultaneously, the maximum current per conductor is 2 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L. If more than 3 channels are used simultaneously, the maximum current per conductor is 0.75 A and up to 5 A (30°C ambient temperature) or 3.5 A (50°C ambient temperature) at pins N/L.
------	--

Electrical data

Inputs/outputs	8 digital inputs; for higher voltages
Operating voltage	≤ AC/DC 250 V
Current per wire (max.)	0.75 A

Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Schneider

Schneider TSX

TSX DSY 08S5

Connection data

Cable type

LiYY

Color code

per DIN VDE 47100

Connection 1

Connector

WAGO 231 Series

Pole number 1

10

Connection type 1

System

Wire cross-section

0.34 mm²

Connection 2

Connector 2

Schneider TSXBLY01

Pole number 2

20

Connection type 2

System

Physical data

Cable length

1 m

Material data

Weight

223 g

Environmental requirements

Ambient temperature (operation)

-20 ... +50 °C

Commercial data

ETIM 8.0

EC000237

ETIM 7.0

EC000237

PU (SPU)

1 pcs

Packaging type

bag

Country of origin

FR

GTIN

4055143979788

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Customs tariff number	85444290900
-----------------------	-------------

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads
Documentation
System Description

WAGO System Wiring, Selection Guide	pdf	Download
This guide will help you select the appropriate interface modules and system cables for the controller you are using.	545.9 kB	

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 706-3057/202-100	URL	Download
System cable; for Schneider TSX; 8 digital outputs for higher voltages; Length: 1 m; Conductor cross-section: 0.34 mm²		

Installation Notes

Subject to changes. Please also observe the further product documentation!