




Color: **orange**



Dimensions in mm

The arrangement of the attachments for cable ties allows single conductors or multi-core cables to be secured in different ways. The width of the cable ties must correspond to the hole dimensions of the strain relief plates shown above.

## Data

### Physical data

Width	35 mm / 1.378 inches
Height	1.87 mm / 0.074 inches
Depth	32 mm / 1.26 inches

### Mechanical Data

Suitable	for standard male and female connectors (3.81 mm; 5.08 mm; 7.62 mm pin spacing)
----------	---

### Material data

Note (material data)	Information on material specifications can be found here
Color	orange

Subject to changes. Please also observe the further product documentation!

Fire load	0.033 MJ
Weight	1.1 g

## Commercial data

Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332404891
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Approvals / Certificates

### Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

## Downloads

### Documentation

### Additional Information

2019 Apr 3	pdf 2.1 MB	Download
------------	---------------	----------

## CAD/CAE-Data

### CAD data

### 2D/3D Models 734-226

Subject to changes. Please also observe the further product documentation!

#### CAE data

ZUKEN Portal 734-226

[URL](#)

[Download](#)

#### Asset Administration Shell

Asset Administration Shell 734-226

[URL](#)

[Download](#)

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 734-226


[URL](#)

[Download](#)

Strain relief plate; for female and male connectors; 35 mm wide; 1 part; Pin spacing 3.81 mm; orange

### Installation Notes

#### Installation



Strain relief plates for factory or in-the-field assembly

#### Application

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27


32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?


We are always happy to take your call at +49 (571) 887-44222.



Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin spacing, light gray,  
12-pole, with strain relief plate  
733-112/034-000

#### Application



Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin spacing, light gray,  
2-pole, with strain relief plate (733-102/032-000)

Subject to changes. Please also observe the further product documentation!