


Color: ■■■



#### Dimensions in mm

The arrangement of the attachments for cable ties allows single conductors or multi-core cables to be secured in different ways. The width of the cable ties must correspond to the hole dimensions of the strain relief plates shown above.

## Data

### Physical data

Width	75 mm / 2.953 inches
Height	1.87 mm / 0.074 inches
Depth	42 mm / 1.654 inches

### Mechanical Data

Suitable	for standard male and female connectors (2.5 mm; 3.5 mm; 5 mm; 7.5 mm pin spacing)
----------	--

Subject to changes. Please also observe the further product documentation!

## Material data

### Note (material data)

Information on material specifications can be found here

Color	gray
Fire load	0.169 MJ
Weight	4.4 g

## Commercial data

Product Group	3 (Multi Conn. System)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454643898
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Approvals / Certificates

### Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	96/20035 (E5)

## Downloads

### Documentation

### Bid Text

734-431	2019 Feb 19	xml	Download
---------	-------------	-----	----------

Subject to changes. Please also observe the further product documentation!

X81 - Datei

2.6 kB

734-431  
doc - Datei

2017 Apr 27

doc  
24.1 kB

[Download](#)

**Additional Information**

2019 Apr 3

pdf  
2.1 MB

[Download](#)

## Environmental Product Compliance

[Compliance Search](#)

Environmental Product Compliance 734-431


[URL](#)

[Download](#)

Strain relief plate; for female and male connectors; 75 mm wide; 1 part; gray

## Installation Notes

**Installation**



Strain relief plates for factory or in-the-field assembly

**Application**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastra. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)


Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin  
spacing, light gray,  
12-pole, with strain relief plate  
733-112/034-000

#### Application



Strain relief plate, for factory assembly

1-conductor female connector, 2.5 mm pin  
spacing, light gray,  
2-pole, with strain relief plate (733-102/032-  
000)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27  
32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.