

Data sheet | Item number: 769-413

Strain relief plate; for female and male connectors; 1 part; Pin spacing 5 mm;
6- to 9-pole; gray

www.wago.com/769-413



Data
Material data

Note (material data)

Information on material specifications can be found [here](#)

Color	gray
Fire load	0.109 MJ
Weight	1.1 g

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Commercial data

Product Group	18 (X-COM-System)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332333214
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

769-413 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
769-413 doc - Datei	2017 May 30	doc 24.1 kB	Download

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 769-413	URL	Download
----------------------	-----	----------

CAE data

ZUKEN Portal 769-413	URL	Download
WSCAD Universe 769-413	URL	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Asset Administration Shell

Asset Administration Shell 769-413	URL	Download
------------------------------------	-----	----------


Environmental Product Compliance

Compliance Search


Environmental Product Compliance 769-413	URL	Download
Strain relief plate; for female and male connectors; 1 part; Pin spacing 5 mm; 6- to 9-pole; gray		

Installation Notes

Strain relief



Removing a female plug via conductor bundle provided with strain relief plate.



Strain relief plates can be snapped into both male connector and female plug.

Subject to changes. Please also observe the further product documentation!