



Item description

Locking system **WINSTA® MIDI**

When using the locking system from the **WINSTA® MIDI** product line, straightforward installation is ensured. An extensive range of accessories rounds out the **WINSTA®** product line from WAGO. Our **WINSTA® MIDI** product line guarantees flexibility for the installation. Through its Push-in **CAGE CLAMP®** spring pressure connection technology, it achieves error-free, time-saving installation and offers customization for meeting all installation requirements.

Push-in CAGE CLAMP® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The **WINSTA®** Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Enjoy the benefits of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with with protection against mismating from WAGO.

—
Subject to changes. Please also observe the further product documentation!



-
- simple circuits
- fast, secure installation

Data

Connection data

Connection 1

Actuation type	Finger-operated lever
----------------	-----------------------

Mechanical Data

Suitable	for flying leads; manually operated
----------	-------------------------------------

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	white
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.017 MJ
Weight	0.6 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (25) pcs
Packaging type	box

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.




Country of origin	DE
GTIN	4017332755221
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

General approvals

Logo	Approval	Additional Approval Text	Certificate name
	VDE VDE Prüf- und Zertifizierungsinstitut	EN 61535	40029808

Downloads

Documentation

Bid Text

770-121 X81 - Datei	2019 Feb 19	xml 2.7 kB	Download
770-121 doc - Datei	2015 Mar 11	doc 22.0 kB	Download

CAD/CAE-Data

CAE data

WSCAD Universe 770-121	URL	Download
ZUKEN Portal 770-121	URL	Download

CAD data

2D/3D Models 770-121	URL	Download
----------------------	-----	----------

Asset Administration Shell

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Asset Administration Shell 770-121	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-121	URL	Download
Locking lever; for flying leads; for manual operation; white		

Installation Notes

Product family

WINSTA® MIDI
[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!