

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27
32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Item description

Strain relief housing *WINSTA*® MIDI 7-pole

Implement the electrical installation easily and quickly: The strain relief housing from the *WINSTA*® MIDI product line is the solution for quick, straightforward installation. With WAGO, you benefit from a large selection of accessories for the *WINSTA*® product line. *WINSTA*® MIDI with Push-in CAGE CLAMP® spring pressure connection technology is found in a broad range of individual products you can use for quick, easy and maximally flexible electrical installation. A range up to 55 mm can be used for the strip length.

WINSTA® MIDI solutions for your electrical installation – protected against mismating and maintenance-free

WINSTA® is the pluggable connection system that is ideally tailored to the strict requirements of electrical installation. It offers fast, secure and, above all, error-free installation of components and cables. Choose durability and quality – with protection against mismating from WAGO makes the installation of electrical components significantly easier.

-
- for automation controllers
- quick replacement of defective units during ongoing operation

Data

Connection data

Connection 1

Pole number	7
Connectable sheathed cable diameter	8 ... 15 mm
Strip length (outer insulation)	55 mm

Physical data

Width	43.1 mm / 1.697 inches
Height	32.9 mm / 1.295 inches
Depth	45 mm / 1.772 inches

Material data

Note (material data)

Subject to changes. Please also observe the further product documentation!

Information on material specifications can be found here

Color	black
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.517 MJ
Weight	12.9 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	200 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454554453
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	LR Lloyds Register	IEC 61984	LR22429487TA

Subject to changes. Please also observe the further product documentation!

Optional accessories

Marking accessories

Marking strip



Item no.: 210-333

Marking strips; as a DIN A4 sheet; Strip width 6 mm; Strip length 182 mm; plain; Self-adhesive; white

www.wago.com/210-333

Downloads

Documentation

Bid Text

770-507/047-000	2019 Feb 19	xml	Download
X81 - Datei		2.9 kB	
770-507/047-000	2015 Jan 6	doc	Download
doc - Datei		24.1 kB	

CAD/CAE-Data

CAE data

WSCAD Universe 770-507/047-000	URL	Download
WSCAD Universe 770-507/047-000	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-507/047-000	URL	Download
Strain relief housing; 7-pole; with locking clip; for 1 cable; 8.0 ... 15.0 mm; 55 mm; black		

Installation Notes

Application

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27



32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com


Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Snap-on type strain relief housings for:

- 3-pole socket or plug
- 4-pole socket or plug



"Flying leads"



"Flying leads"

(NOTICE: Only use locking levers on upper position!)

Product family

WINSTA® MIDI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.