


Color: ■



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Item description

Mounting accessories *WINSTA*® MIDI 4-pole

Implement the electrical installation effortlessly: The mounting accessories from the *WINSTA*® MIDI product line is the product of your choice for quick, straightforward installation. An extensive range of accessories rounds out the *WINSTA*® product line from WAGO. The *WINSTA*® MIDI Pluggable Connection System with Push-in CAGE CLAMP® spring pressure connection technology facilitates exemplary electrification. Thanks to the built-in test slot, connections can be checked even when they are plugged in. That saves time and reduces installation labor and expense.

WINSTA® MIDI solutions for your electrical installation – maintenance-free

WINSTA® is the pluggable connection system that is ideally tailored to the strict requirements of electrical installation. It offers error-free installation of cables and components, quickly and reliably. Now you can also lower installation expenses without compromising safety and quality: The *WINSTA*® MIDI accessory reduces the need for servicing and prevents unnecessary downtime.

-
- pre-assembled versions
- rapid, structured electrical installation

Data

Connection data

Connection 1

Pole number	4
-------------	---

Mechanical Data

Mounting type	Screw mounting
Suitable	for distribution connectors (except T-distribution connectors); 4-pole

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	black
-------	-------

Subject to changes. Please also observe the further product documentation!

Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.184 MJ
Weight	5.8 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4044918451420
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Mounting

Mounting accessories		
 Item no.: 890-601	Fixing pin; 5 mm Ø, for 1.5 ... 2.5 mm mounting plates; Plastic; black	www.wago.com/890-601
 Item no.: 770-601	Fixing pin; 6 mm Ø, for 2.5 ... 4.0 mm mounting plates; Plastic; black	www.wago.com/770-601

Downloads

Documentation

Bid Text

Subject to changes. Please also observe the further product documentation!

770-624	2019 Feb 19	xml 2.6 kB	Download
X81 - Datei			
770-624	2015 Jan 13	doc 23.0 kB	Download
doc - Datei			

CAD/CAE-Data

CAD data

2D/3D Models 770-624	URL	Download
----------------------	---------------------	--------------------------

CAE data

WSCAD Universe 770-624	URL	Download
------------------------	---------------------	--------------------------

ZUKEN Portal 770-624	URL	Download
----------------------	---------------------	--------------------------

Asset Administration Shell

Asset Administration Shell 770-624	URL	Download
------------------------------------	---------------------	--------------------------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 770-624	URL	Download
Mounting plate; 4-pole; for distribution connectors; Plastic; black		

Installation Notes

Product family

WINSTA® MIDI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!