


Data sheet | Item number: 770-645

Lockout cap; 5-pole; for cutouts; Plastic; black

www.wago.com/770-645



Item description

Cover *WINSTA*® MIDI 5-pole

The cover from the *WINSTA*® MIDI product line guarantees you the maximum flexibility in electrical installation. You can rely on the quality of *WINSTA*® components from WAGO for your electrical installation accessories too. *WINSTA*® MIDI with Push-in CAGE CLAMP® spring pressure connection technology is found in a broad range of individual products you can use for quick, easy, flexible, and secure installation.

WINSTA® MIDI solutions for your electrical installation – protected against mismatching and maintenance-free

The *WINSTA*® Pluggable Connection System is perfectly tailored to the very strict requirements of building installation. It makes electrical installation pluggable, and therefore faster, more reliable, and error-free. Using this pre-assembled system decreases time spent on assembly and errors during installation at the construction site. Take advantage of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with with protection against mismatching from WAGO.

-
- simple circuits
- convenient installation and commissioning

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Data****Connection data****Connection 1**

Pole number	5
-------------	---

Mechanical Data

Mounting type	Snap-in flange
Suitable	for cutout

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	black
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.09 MJ
Weight	2.3 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 pcs
Packaging type	box
Country of origin	DE
GTIN	4017332755467
Customs tariff number	39269097900

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads
Documentation

Bid Text			
770-645 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
770-645 doc - Datei	2015 Jan 13	doc 23.0 kB	Download

CAD/CAE-Data

CAD data			
2D/3D Models 770-645		URL	Download
CAE data			
ZUKEN Portal 770-645		URL	Download
WSCAD Universe 770-645		URL	Download
Asset Administration Shell			
Asset Administration Shell 770-645		URL	Download

Environmental Product Compliance

Compliance Search			
Environmental Product Compliance 770-645 Lockout cap; 5-pole; for cutouts; Plastic; black		URL	Download

Installation Notes

Subject to changes. Please also observe the further product documentation!



Product family

WINSTA® MIDI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.