



Data sheet | Item number: 788-120
Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 24 VDC

www.wago.com/788-120



 Picture differs from the item.



**Data
Notes**

Note	Only required when using relays without integrated status indicator!
------	--

Technical data

Operating data

Nominal operating voltage	DC 24 V
Operating voltage	12 ... 24 VDC
Current consumption at U_N	2.4 mA

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Signaling

Status indicator	Red LED
------------------	---------

Safety and protection

Protection type	IP20
-----------------	------

Mechanical data

Mounting type	Pluggable module
---------------	------------------

Material data

Fire load	0.037 MJ
Weight	1.5 g

Environmental requirements

Ambient temperature (operation at U_N)	-40 ... +70 °C
Ambient temperature UL (operation at U_N)	-40 ... +50 °C
Ambient temperature (storage)	-40 ... +70 °C

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-37-16-92
eCl@ss 9.0	27-37-16-92
ETIM 8.0	EC002586
ETIM 7.0	EC002586
Recupel Type	
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454351960
Customs tariff number	85318070000

Environmental Product Compliance

CAS-No.	7439-92-1 79-94-7
---------	----------------------

Subject to changes. Please also observe the further product documentation!



REACH Candidate List Substance	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a)
SCIP notification number (Austria)	1440007f-f0d4-476a-a43f-846f38699300
SCIP notification number (Belgium)	c88d50f8-7dd4-43b9-b1fe-b9a921b052da
SCIP notification number (Bulgaria)	d55f525f-261e-4715-8d07-f634781e3dfc
SCIP notification number (Czech Republic)	f9af606f-092b-4c4d-b983-52b8f43a02bb
SCIP notification number (Denmark)	a756e293-6456-4398-b8da-a230225e464c
SCIP notification number (Finland)	7944b8ba-f47b-4761-aa83-a01185d00af6
SCIP notification number (France)	bb166adb-0e66-4bb5-aa29-5ac0767a0b24
SCIP notification number (Germany)	17857ce1-2886-4b8a-8cc7-b10a159072e5
SCIP notification number (Hungary)	2122141f-80e0-4070-a6b8-5005603992eb
SCIP notification number (Italy)	7982b0fd-51a0-453e-a6f7-dfe8c146cc38
SCIP notification number (Netherlands)	25181f59-1427-4951-ad22-1bb566ada3dd
SCIP notification number (Poland)	2f2e9239-c5f4-48e3-a239-95ca75f52fd9
SCIP notification number (Romania)	e4b3e5ec-647f-44b4-9bad-46bcd8339583
SCIP notification number (Sweden)	735e05a7-7c1c-4331-bd98-94a11157904a

Downloads

Documentation

Bid Text

788-120	2019 Feb 20	docx	Download
docx - Datei		15.4 kB	
788-120	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	

Additional Information

Disposal and Recycling	V 1.1.0	pdf	Download
Electrical and electronic equipment, Batteries, Packaging	2022 Aug 18	2.2 MB	

CAD/CAE-Data

CAE data

EPLAN Data Portal 788-120	URL	Download
---------------------------	-----	----------

WSCAD Universe 788-120

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



	URL	Download
ZUKEN Portal 788-120	URL	Download
CAD data		
2D/3D Models 788-120	URL	Download
Asset Administration Shell		
Asset Administration Shell 788-120	URL	Download
Environmental Product Compliance		
Compliance Search		
Environmental Product Compliance 788-120	URL	Download
Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 24 VDC		

Installation Notes

Subject to changes. Please also observe the further product documentation!