



Data sheet | Item number: 788-122
Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 110 VDC



www.wago.com/788-122



**Data
Notes**

Note	Only required when using relays without integrated status indicator!
------	--

Technical data

Control circuit

Nominal input current at U_N	0
--------------------------------	---

Operating data

Nominal operating voltage	DC 110 V
Current consumption at U_N	1.9 mA

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Signaling

Status indicator	Red LED
------------------	---------

Safety and protection

Protection type	IP20
-----------------	------

Mechanical data

Mounting type	Pluggable module
---------------	------------------

Material data

Fire load	0.033 MJ
Weight	1.5 g

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-37-16-92
eCl@ss 9.0	27-37-16-92
ETIM 8.0	EC002586
ETIM 7.0	EC002586
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454520656
Customs tariff number	85318070000

Environmental Product Compliance

CAS-No.	7439-92-1 79-94-7
REACH Candidate List Substance	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Lead
RoHS Compliance Status	Compliant, With Exemption
RoHS Exemption	7(a)
SCIP notification number (Austria)	f9cae657-e4f7-4310-88ff-445763a0f164
SCIP notification number (Belgium)	83c0a6ec-1428-469a-a4a4-5d1f4e646962
SCIP notification number (Bulgaria)	bfcef5ed-451c-43bd-b19c-5093c1fc8ba2
SCIP notification number (Czech Republic)	c2e6b071-c3f2-4657-b05b-1a83f85f5ea9

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



SCIP notification number (Denmark)	73cabf75-a2e4-4584-9acb-f82bdd1159d4
SCIP notification number (Finland)	d8d6f294-32c9-45b4-b315-ece132ff3311
SCIP notification number (France)	525bcb70-4599-42a3-8f4d-762ad4783eb6
SCIP notification number (Germany)	87b464de-bd0f-4c0b-9a03-728fe79281c8
SCIP notification number (Hungary)	6c37b8da-5c88-4bc2-b83f-96bf4e8bece6
SCIP notification number (Italy)	7ac6bc21-18fa-4e42-88a3-aacdd7b8fefe
SCIP notification number (Netherlands)	f4b312a5-c13a-42d3-94e8-6ead3c2b6128
SCIP notification number (Poland)	124ce57f-9401-4cef-97e5-b57a12241baf
SCIP notification number (Romania)	0398af6d-ae0a-47f1-a067-6f9d4cae7473
SCIP notification number (Sweden)	395fef67-7e9d-4371-8287-2b220912ca28

Approvals / Certificates

General approvals

Logo	Approval	Additional Approval Text	Certificate name
	EAC Brjansker Zertifizierungsstelle	TP TC 004/2011	EAC RU C-DE.AM02. B.00122 /19

Downloads

Documentation

Bid Text

788-122 docx - Datei	2019 Feb 20	docx 15.4 kB	Download
788-122 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download

Additional Information

Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging	V 1.1.0 2022 Aug 18	pdf 2.2 MB	Download
---	------------------------	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 788-122	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



CAE data

ZUKEN Portal 788-122	URL	Download
WSCAD Universe 788-122	URL	Download
EPLAN Data Portal 788-122	URL	Download
Asset Administration Shell		
Asset Administration Shell 788-122	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 788-122	URL	Download
Accessories for relay modules; Operation status indicator: red; Nominal operating voltage: 110 VDC		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.