

Data sheet | Item number: 790-133

Busbar; tin-plated; 30 mm long; Cu 10 mm x 3 mm; silver-colored

www.wago.com/790-133



Data

Technical data

Main product function

Material data

Color	silver-colored
Weight	9.2 g

Commercial data

eCl@ss 10.0	27-14-11-39
eCl@ss 9.0	27-14-11-39
ETIM 8.0	EC001522
ETIM 7.0	EC001522
PU (SPU)	20 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454229733
Customs tariff number	7407100000

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Environmental Product Compliance**

RoHS Compliance Status

Compliant, No Exemption

Optional accessories**Shield termination**

Shield clamping saddles

	Item no.: 790-116 Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm	www.wago.com/790-116
	Item no.: 790-124 Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm	www.wago.com/790-124
	Item no.: 790-108 Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm	www.wago.com/790-108
	Item no.: 790-140 Shield clamping saddle; diameter of compatible conductor	www.wago.com/790-140
	Item no.: 790-216 Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm	www.wago.com/790-216
	Item no.: 790-220 Shield clamping saddle; 30 mm wide; 6 ... 20 mm	www.wago.com/790-220
	Item no.: 790-208 Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm	www.wago.com/790-208
Shield termination		
	Item no.: 791-107 Shield clamp; diameter of compatible conductor; 1.5 mm to 6.5 mm; H max. 40 mm; 10 mm wide	www.wago.com/791-107
	Item no.: 791-124 Shield clamp; diameter of compatible conductor; 16 mm to 24 mm; H max. 78 mm; 30 mm wide	www.wago.com/791-124
	Item no.: 791-111 Shield clamp; diameter of compatible conductor; 5 mm to 11 mm; H max. 47 mm; 17 mm wide	www.wago.com/791-111
	Item no.: 791-117 Shield clamp; diameter of compatible conductor; 10 mm to 17 mm; H max. 63 mm; 23 mm wide	www.wago.com/791-117

Downloads**Documentation****Bid Text**

790-133	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



790-133	2017 Aug 31	doc	Download
doc - Datei		23.6 kB	

CAD/CAE-Data

CAE data

WSCAD Universe 790-133	URL	Download
EPLAN Data Portal 790-133	URL	Download

CAD data

2D/3D Models 790-133	URL	Download
----------------------	-----	----------

Asset Administration Shell

Asset Administration Shell 790-133	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 790-133	URL	Download
Busbar; tin-plated; 30 mm long; Cu 10 mm x 3 mm; silver-colored		

Installation Notes

Subject to changes. Please also observe the further product documentation!