

**Data sheet | Item number: 790-191**

U-shaped busbar; Cu 10 mm x 3 mm; for 8 I/O; suitable for 750 Series I/O modules; silver-colored

[www.wago.com/790-191](http://www.wago.com/790-191)



**Data**  
**Technical data**

|                       |  |
|-----------------------|--|
| Main product function |  |
|-----------------------|--|

**Material data**

|        |                |
|--------|----------------|
| Color  | silver-colored |
| Weight | 60 g           |

**Commercial data**

|                   |                                |
|-------------------|--------------------------------|
| Product Group     | 2 (Terminal Block Accessories) |
| eCl@ss 10.0       | 27-14-11-46                    |
| eCl@ss 9.0        | 27-14-11-46                    |
| ETIM 8.0          | EC001522                       |
| ETIM 7.0          | EC001522                       |
| PU (SPU)          | 25 (1) pcs                     |
| Packaging type    | box                            |
| Country of origin | DE                             |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



|                       |               |
|-----------------------|---------------|
| GTIN                  | 4045454229771 |
| Customs tariff number | 74071000000   |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Optional accessories

### Shield termination

| Shield clamping saddles                                                           |                                                                                                               |                                                                |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
|    | <b>Item no.: 790-116</b><br>Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm | <a href="http://www.wago.com/790-116">www.wago.com/790-116</a> |
|    | <b>Item no.: 790-124</b><br>Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm | <a href="http://www.wago.com/790-124">www.wago.com/790-124</a> |
|    | <b>Item no.: 790-108</b><br>Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm  | <a href="http://www.wago.com/790-108">www.wago.com/790-108</a> |
|    | <b>Item no.: 790-140</b><br>Shield clamping saddle; diameter of compatible conductor                          | <a href="http://www.wago.com/790-140">www.wago.com/790-140</a> |
|   | <b>Item no.: 790-216</b><br>Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm                                 | <a href="http://www.wago.com/790-216">www.wago.com/790-216</a> |
|  | <b>Item no.: 790-220</b><br>Shield clamping saddle; 30 mm wide; 6 ... 20 mm                                   | <a href="http://www.wago.com/790-220">www.wago.com/790-220</a> |
|  | <b>Item no.: 790-208</b><br>Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm                                  | <a href="http://www.wago.com/790-208">www.wago.com/790-208</a> |

## Downloads

### Documentation

#### Bid Text

|                        |             |                |          |
|------------------------|-------------|----------------|----------|
| 790-191<br>X81 - Datei | 2019 Feb 19 | xml<br>2.6 kB  | Download |
| 790-191<br>doc - Datei | 2018 Nov 28 | doc<br>23.6 kB | Download |

## CAD/CAE-Data

### CAE data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.




|                                    |                     |                          |
|------------------------------------|---------------------|--------------------------|
| WSCAD Universe 790-191             | <a href="#">URL</a> | <a href="#">Download</a> |
| ZUKEN Portal 790-191               | <a href="#">URL</a> | <a href="#">Download</a> |
| EPLAN Data Portal 790-191          | <a href="#">URL</a> | <a href="#">Download</a> |
| <b>CAD data</b>                    |                     |                          |
| 2D/3D Models 790-191               | <a href="#">URL</a> | <a href="#">Download</a> |
| <b>Asset Administration Shell</b>  |                     |                          |
| Asset Administration Shell 790-191 | <a href="#">URL</a> | <a href="#">Download</a> |

Environmental Product Compliance

Compliance Search

|                                                                                                  |                     |                          |
|--------------------------------------------------------------------------------------------------|---------------------|--------------------------|
| Environmental Product Compliance 790-191                                                         | <a href="#">URL</a> | <a href="#">Download</a> |
| U-shaped busbar; Cu 10 mm x 3 mm; for 8 I/O; suitable for 750 Series I/O modules; silver-colored |                     |                          |

Installation Notes



U-shaped (10 x 3) mm copper busbar

Subject to changes. Please also observe the further product documentation!