



Data
Technical data

Suitable	for wire cross-section 10 ... 16 mm²
Marking method	Thermal transfer
Delivery form	Roll
Delivery form configuration	15 m/roll
Printing device	Smart Printer (Thermal Transfer Printer)

Physical data

Depth	0.185 mm
Sheathed cable diameter	9.5 mm

Mechanical Data

Mounting type	Sliding on conductor
Shrink rate	2:1

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Smear resistance

in conjunction with 258-5005 Ink Ribbon

Material data

Color	yellow
Material	Polyolefin
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	without adhesive
Halogen-free	Yes
Weight	328.3 g

Environmental requirements

Ambient temperature (storage)	+10 ... +25 °C
Ambient temperature (operation)	-55 ... +125 °C
Relative humidity	45 ... 55 %

Commercial data

eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-04-01
ETIM 8.0	EC001530
ETIM 7.0	EC001530
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DK
GTIN	4055143370301
Customs tariff number	39173200910

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Marking accessories

Marking device



Item no.: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

www.wago.com/258-5000

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Downloads
Documentation
Operating Instructions

211-502 Information on printing material	1 2020 Aug 28	pdf 1.1 MB	Download
--	------------------	---------------	----------

Environmental Product Compliance
Compliance Search

Environmental Product Compliance 211-504/000-002	URL	Download
Shrink tube; for Smart Printer; Unshrunk diameter: 9.5 mm; yellow		

Installation Notes

Subject to changes. Please also observe the further product documentation!