

Data
Technical data

Number of spacings	1 -way
--------------------	--------

Physical data

Depth	72 mm / 2.83 inches
Pin spacing	2.5/2.54 mm

Mechanical Data

Suitable	for male and female connectors with CAGE CLAMP® connection
----------	--

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Material data

Color	green
Weight	2.9 g

Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332534833
Customs tariff number	82055980000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads


Environmental Product Compliance

Compliance Search

Environmental Product Compliance 233-335	URL	Download
Operating tool; green		

Installation Notes

Subject to changes. Please also observe the further product documentation!



Conductor termination via screwdriver (233-335) – parallel to CAGE CLAMP® actuation

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.