



Data
Connection data

Connection 1

Pole number	1
-------------	---

Physical data

Pin spacing	3.81 mm / 0.15 inches
Width	3.81 mm / 0.15 inches
Height	9.2 mm / 0.362 inches
Depth	12.5 mm / 0.492 inches

Mechanical Data

Application	extends pin spacing
Mounting type	snap-on type

Material data

Note (material data)	Information on material specifications can be found here
----------------------	--

Subject to changes. Please also observe the further product documentation!



Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.01 MJ
Weight	0.3 g

Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	1000 (100) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332443586
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Additional Information

	2019 Apr 3	pdf 2.1 MB	Download
--	------------	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 235-316	URL	Download
----------------------	-----	----------

CAE data

EPLAN Data Portal 235-316	URL	Download
---------------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



ZUKEN Portal 235-316	URL	Download
----------------------	-----	----------

Asset Administration Shell

Asset Administration Shell 235-316	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 235-316 Spacer; for doubling the pin spacing; orange	URL	Download
--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!