

Item description

Quick Fix Mounting

Finding that the MICRO PUSH WIRE® Connectors for Junction Boxes are ideal for DIN-rail-mount panel applications, electrical installers have requested the ability to use them in distribution panels. These connectors provide easy connections for smaller conductors used in low-current applications. They are well-suited to terminating telephone-style conductors for connecting alarms, bells, door sensors, communication systems and more.

The mounting carrier is WAGO's professional solution. It is available with mounting slots for 4 or 6 connectors.

Depending on the number of conductors, each mounting slot can accommodate a 4- or 8-conductor MICRO PUSH WIRE® Junction Box Connector. The connectors simply snap into the mounting slots and are removable, allowing conductors to be exchanged during changeover.

The carrier is designed for easy mounting directly to the DIN-35 rail, or to a panel, via the screw-mount flanges provided on both sides. A large marking area for direct marking with a permanent felt-tip pen or for pre-printed, self-adhesive marking strips is provided for clear circuit identification.

Data

Mechanical Data

Mounting type

DIN-35 rail

Subject to changes. Please also observe the further product documentation!

Suitable	Screw mount for 6 connectors
----------	---------------------------------

Material data

Note (material data)

Information on material specifications can be found here

Color	orange
Fire load	0.079 MJ
Weight	2.6 g

Commercial data

Product Group	7 (Push Wire Conn.)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (10) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332335492
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Marking accessories

Marking strip	 Item no.: 210-833	www.wago.com/210-833
	Marking strips; 25 m on roll; 6 mm wide; plain; Self-adhesive; white	

Downloads

Documentation

Bid Text

243-113	2019 Feb 19	xml	Download
---------	-------------	-----	--------------------------

Subject to changes. Please also observe the further product documentation!

X81 - Datei

2.6 kB

243-113
doc - Datei

2017 May 19

doc
24.1 kB

[Download](#)

ausschreiben.de 243-113

URL

[Download](#)

CAD/CAE-Data

CAE data

WSCAD Universe 243-113

URL

[Download](#)

ZUKEN Portal 243-113

URL

[Download](#)

EPLAN Data Portal 243-113

URL

[Download](#)

CAD data

2D/3D Models 243-113

URL

[Download](#)

Asset Administration Shell

Asset Administration Shell 243-113

URL

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 243-113


URL

[Download](#)


Mounting carrier; for 6 connectors; 243 Series; for DIN-35 rail mounting/screw mounting; orange

Installation Notes


Subject to changes. Please also observe the further product documentation!



Inserting a MICRO junction box connector into the mounting carrier.




Removing a mounting carrier from the assembly.



Typical application in a terminal box for burglar alarm
– screw-mounted carrier



Example of a residential door bell application
– carriers mounted on a DIN-35 rail



Example of a residential intercom application

Subject to changes. Please also observe the further product documentation!