



Data  
Physical data

|        |                      |
|--------|----------------------|
| Width  | 1 mm / 0.039 inches  |
| Height | 13 mm / 0.512 inches |
| Depth  | 15 mm / 0.591 inches |

Mechanical Data

|               |              |
|---------------|--------------|
| Mounting type | snap-on type |
|---------------|--------------|

Material data

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| Note (material data) | Information on material specifications can be found here |
|----------------------|----------------------------------------------------------|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



|                             |                  |
|-----------------------------|------------------|
| Color                       | black            |
| Material group              | I                |
| Insulation material         | Polyamide (PA66) |
| Flammability class per UL94 | V0               |
| Fire load                   | 0.005 MJ         |
| Weight                      | 0.2 g            |

## Commercial data

|                       |                                |
|-----------------------|--------------------------------|
| Product Group         | 4 (Printed Circuit Connectors) |
| eCl@ss 10.0           | 27-44-04-92                    |
| eCl@ss 9.0            | 27-44-04-92                    |
| ETIM 8.0              | EC000886                       |
| ETIM 7.0              | EC000886                       |
| PU (SPU)              | 2000 (100) pcs                 |
| Packaging type        | box                            |
| Country of origin     | CH                             |
| GTIN                  | 4017332445269                  |
| Customs tariff number | 85389099990                    |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Required accessories

### End plate

|                                                                                                                                                                                                                                                                                                                                                            |                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| PCB terminal block                                                                                                                                                                                                                                                                                                                                         |                                                                                                |
|  <b>Item no.: 256-753</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-753">www.wago.com/256-753</a><br>commoning option; 2,50 mm <sup>2</sup> ; light gray         |                                                                                                |
|  <b>Item no.: 256-753/332-000/999-950</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; light gray | <a href="http://www.wago.com/256-753/332-000/999-950">www.wago.com/256-753/332-000/999-950</a> |
|  <b>Item no.: 256-754</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue                                                 | <a href="http://www.wago.com/256-754">www.wago.com/256-754</a>                                 |
|  <b>Item no.: 256-756</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-756">www.wago.com/256-756</a><br>commoning option; 2,50 mm <sup>2</sup> ; orange             |                                                                                                |
|  <b>Item no.: 256-753/999-950</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e                                                                                                                  | <a href="http://www.wago.com/256-753/999-950">www.wago.com/256-753/999-950</a>                 |

Subject to changes. Please also observe the further product documentation!



applications; CAGE CLAMP®; commoning option; 2,50 mm²; light gray

|                                                                                   |                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <b>Item no.: 256-763</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-763">www.wago.com/256-763</a><br>commoning option; 2,50 mm²; light gray                                                                                                                         |
|    | <b>Item no.: 256-762</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-762">www.wago.com/256-762</a><br>commoning option; 2,50 mm²; dark gray                                                                                                                          |
|    | <b>Item no.: 256-757</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-757">www.wago.com/256-757</a><br>commoning option; 2,50 mm²; light green                                                                                                                        |
|    | <b>Item no.: 256-763/332-000/999-950</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-<br>e applications; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm²; light gray <div> <a href="http://www.wago.com/256-763/332-000/999-950">www.wago.com/256-763/332-000/999-950</a> </div> |
|    | <b>Item no.: 256-764</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i<br>applications; CAGE CLAMP®; commoning option; 2,50 mm²; blue <div> <a href="http://www.wago.com/256-764">www.wago.com/256-764</a> </div>                                                                                  |
|    | <b>Item no.: 256-760</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-760">www.wago.com/256-760</a><br>commoning option; 2,50 mm²; red                                                                                                                                |
|    | <b>Item no.: 256-766</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-766">www.wago.com/256-766</a><br>commoning option; 2,50 mm²; orange                                                                                                                             |
|    | <b>Item no.: 256-767</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-767">www.wago.com/256-767</a><br>commoning option; 2,50 mm²; light green                                                                                                                        |
|  | <b>Item no.: 256-401</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-401">www.wago.com/256-401</a><br>commoning option; 2,50 mm²; gray                                                                                                                                 |
|  | <b>Item no.: 256-401/332-000</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-401/332-000">www.wago.com/256-401/332-000</a><br>commoning option; Solder pin length 5.5 mm; 2,50 mm²; gray                                                                               |
|  | <b>Item no.: 256-461</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-461">www.wago.com/256-461</a><br>commoning option; 2,50 mm²; gray                                                                                                                                 |
|  | <b>Item no.: 256-501</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-501">www.wago.com/256-501</a><br>commoning option; 2,50 mm²; gray                                                                                                                               |
|  | <b>Item no.: 256-561</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-561">www.wago.com/256-561</a><br>commoning option; 2,50 mm²; gray                                                                                                                               |
|  | <b>Item no.: 256-601</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-601">www.wago.com/256-601</a><br>commoning option; 2,50 mm²; gray                                                                                                                               |
|  | <b>Item no.: 256-840</b><br>Stackable PCB terminal block; push-button; 2.5 mm²; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-840">www.wago.com/256-840</a><br>commoning option; 2,50 mm²; red                                                                                                                                  |

Subject to changes. Please also observe the further product documentation!



|                                                                                   |                                                                                                                                                                                                                                   |                                                                                |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
|    | <b>Item no.: 256-842</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray                                       | <a href="http://www.wago.com/256-842">www.wago.com/256-842</a>                 |
|    | <b>Item no.: 256-843</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray                                      | <a href="http://www.wago.com/256-843">www.wago.com/256-843</a>                 |
|    | <b>Item no.: 256-846</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange                                          | <a href="http://www.wago.com/256-846">www.wago.com/256-846</a>                 |
|    | <b>Item no.: 256-844</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue                                            | <a href="http://www.wago.com/256-844">www.wago.com/256-844</a>                 |
|    | <b>Item no.: 256-847</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green                                     | <a href="http://www.wago.com/256-847">www.wago.com/256-847</a>                 |
|    | <b>Item no.: 256-767/332-000</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; light green | <a href="http://www.wago.com/256-767/332-000">www.wago.com/256-767/332-000</a> |
|    | <b>Item no.: 256-848</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; black                                           | <a href="http://www.wago.com/256-848">www.wago.com/256-848</a>                 |
|    | <b>Item no.: 256-852</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray                                     | <a href="http://www.wago.com/256-852">www.wago.com/256-852</a>                 |
|  | <b>Item no.: 256-850</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red                                           | <a href="http://www.wago.com/256-850">www.wago.com/256-850</a>                 |
|  | <b>Item no.: 256-853</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray                                    | <a href="http://www.wago.com/256-853">www.wago.com/256-853</a>                 |
|  | <b>Item no.: 256-854</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue          | <a href="http://www.wago.com/256-854">www.wago.com/256-854</a>                 |
|  | <b>Item no.: 256-857</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green                                   | <a href="http://www.wago.com/256-857">www.wago.com/256-857</a>                 |
|  | <b>Item no.: 256-740</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red                                             | <a href="http://www.wago.com/256-740">www.wago.com/256-740</a>                 |
|  | <b>Item no.: 256-742/332-000</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; dark gray     | <a href="http://www.wago.com/256-742/332-000">www.wago.com/256-742/332-000</a> |
|  | <b>Item no.: 256-742</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray                                       | <a href="http://www.wago.com/256-742">www.wago.com/256-742</a>                 |
|  | <b>Item no.: 256-743/332-000</b>                                                                                                                                                                                                  |                                                                                |

Subject to changes. Please also observe the further product documentation!



Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm<sup>2</sup>; light gray [www.wago.com/256-743/332-000](http://www.wago.com/256-743/332-000)

|                                                                                   |                                                                                                                                                                                                                                                                        |                                                                                                |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|    | <b>Item no.: 256-743/332-000/999-950</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; light gray | <a href="http://www.wago.com/256-743/332-000/999-950">www.wago.com/256-743/332-000/999-950</a> |
|    | <b>Item no.: 256-743/999-950</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray                                   | <a href="http://www.wago.com/256-743/999-950">www.wago.com/256-743/999-950</a>                 |
|    | <b>Item no.: 256-743</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray                                                                           | <a href="http://www.wago.com/256-743">www.wago.com/256-743</a>                                 |
|    | <b>Item no.: 256-744</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue                                                                                 | <a href="http://www.wago.com/256-744">www.wago.com/256-744</a>                                 |
|    | <b>Item no.: 256-744/332-000</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; blue                                               | <a href="http://www.wago.com/256-744/332-000">www.wago.com/256-744/332-000</a>                 |
|    | <b>Item no.: 256-747</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green                                                                          | <a href="http://www.wago.com/256-747">www.wago.com/256-747</a>                                 |
|    | <b>Item no.: 256-745</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green                                                                                | <a href="http://www.wago.com/256-745">www.wago.com/256-745</a>                                 |
|  | <b>Item no.: 256-746</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange                                                                               | <a href="http://www.wago.com/256-746">www.wago.com/256-746</a>                                 |
|  | <b>Item no.: 256-746/332-000</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; orange                                             | <a href="http://www.wago.com/256-746/332-000">www.wago.com/256-746/332-000</a>                 |
|  | <b>Item no.: 256-748</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; black                                                                                | <a href="http://www.wago.com/256-748">www.wago.com/256-748</a>                                 |
|  | <b>Item no.: 256-750</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red                                                                                | <a href="http://www.wago.com/256-750">www.wago.com/256-750</a>                                 |
|  | <b>Item no.: 256-752</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray                                                                          | <a href="http://www.wago.com/256-752">www.wago.com/256-752</a>                                 |
|  | <b>Item no.: 256-747/332-000</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; light green                                        | <a href="http://www.wago.com/256-747/332-000">www.wago.com/256-747/332-000</a>                 |
|  | <b>Item no.: 256-856</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange                                                                             | <a href="http://www.wago.com/256-856">www.wago.com/256-856</a>                                 |

Subject to changes. Please also observe the further product documentation!



|  |                                                                                                                                                                                                                                                                                            |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>Item no.: 256-661</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-661">www.wago.com/256-661</a><br>commoning option; 2,50 mm <sup>2</sup> ; gray                                 |
|  | <b>Item no.: 256-862</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-862">www.wago.com/256-862</a><br>commoning option; 2,50 mm <sup>2</sup> ; dark gray                            |
|  | <b>Item no.: 256-863</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-863">www.wago.com/256-863</a><br>commoning option; 2,50 mm <sup>2</sup> ; light gray                           |
|  | <b>Item no.: 256-864</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i <a href="http://www.wago.com/256-864">www.wago.com/256-864</a><br>applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue |
|  | <b>Item no.: 256-860</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-860">www.wago.com/256-860</a><br>commoning option; 2,50 mm <sup>2</sup> ; red                                  |
|  | <b>Item no.: 256-866</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-866">www.wago.com/256-866</a><br>commoning option; 2,50 mm <sup>2</sup> ; orange                               |
|  | <b>Item no.: 256-867</b><br>Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; <a href="http://www.wago.com/256-867">www.wago.com/256-867</a><br>commoning option; 2,50 mm <sup>2</sup> ; light green                          |

## Downloads

### Documentation

#### Additional Information

2019 Apr 3

pdf  
2.1 MB

Download

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 256-800  
 End plate; snap-fit type; 1 mm thick; black

URL

Download

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.