

Data sheet | Item number: 272-304


Power supply connector; push-button on both sides; without snap-in mounting feet; without ground contact; 4-pole; 2,50 mm²; white

www.wago.com/272-304



i Picture differs from the item.

Color:



Data

Electrical data

Ratings per IEC/EN

Ratings per	IEC/EN 60664-1
Rated voltage (III/2)	400 V
Rated impulse voltage (III/2)	4 kV
Rated current	18 A
Legend (ratings)	(III / 2) ≙ Overvoltage category III / Pollution degree 2

Connection data

Connection points	16
Total number of potentials	4
Number of connection types	1

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection 1

Connection technology	PUSH WIRE®
Solid conductor	0.5 ... 1.5 mm² / 20 ... 16 AWG
Strip length	8 ... 9 mm / 0.31 ... 0.35 inches
Pole number	4

Connection 2

Solid conductor 2	0.5 ... 2.5 mm² / 20 ... 14 AWG
-------------------	---------------------------------

Physical data

Width	38.5 mm / 1.516 inches
Height	19 mm / 0.748 inches
Depth	24.5 mm / 0.965 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	white
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.189 MJ
Weight	12.7 g

Commercial data

eCl@ss 10.0	27-14-11-04
eCl@ss 9.0	27-14-11-04
ETIM 8.0	EC000446
ETIM 7.0	EC000446
PU (SPU)	500 pcs
Packaging type	bag
Country of origin	DE
GTIN	4044918439688
Customs tariff number	85369010000

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

Approvals / Certificates

General approvals

Logo	Approval	Additional Approval Text	Certificate name
	CSA DEKRA Certification B.V.	C22.2 No. 158	70048844
	UR Underwriters Laboratories Inc.	UL 1059	E45172

Optional accessories

Tool

Assembly tool



Item no.: 249-100

Operating tool; for terminal blocks with snap-in ground contact

www.wago.com/249-100

Ferrule

Pin terminal



Item no.: 209-157

Pin terminals; insulated; suitable for 271 and 272 Series; blue

www.wago.com/209-157



Item no.: 209-151

Pin terminals; insulated; suitable for 271 and 272 Series; green

www.wago.com/209-151

Mounting

Mounting accessories



Item no.: 271-711

Pins; white

www.wago.com/271-711



Item no.: 271-702

Pins; white

www.wago.com/271-702



Item no.: 271-712

Pins; white

www.wago.com/271-712

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Downloads
Documentation

Additional Information

2019 Apr 3	pdf 2.1 MB	Download
------------	---------------	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 272-304	URL	Download
Power supply connector; push-button on both sides; without snap-in mounting feet; without ground contact; 4-pole; 2,50 mm²; white		

Installation Notes

Subject to changes. Please also observe the further product documentation!