




Data
Physical data

Width	2 mm / 0.079 inches
Height	99.2 mm / 3.906 inches
Depth	31.6 mm / 1.244 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.09 MJ
Weight	2.8 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

Subject to changes. Please also observe the further product documentation!



Commercial data

eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143031035
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Terminal block for matrix patching			
	Item no.: 280-675		
	Double potential terminal block; 2.5 mm ² ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm ² ; gray		
			www.wago.com/280-675

Downloads

Documentation

Bid Text

280-394	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	
280-394	2017 Aug 18	doc	Download
doc - Datei		24.1 kB	

Additional Information

	pdf	Download
	2.3 MB	

CAD/CAE-Data

CAE data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



EPLAN Data Portal 280-394	URL	Download
WSCAD Universe 280-394	URL	Download
ZUKEN Portal 280-394	URL	Download
CAD data		
2D/3D Models 280-394	URL	Download
Asset Administration Shell		
Asset Administration Shell 280-394	URL	Download


Environmental Product Compliance

Compliance Search

Environmental Product Compliance 280-394	URL	Download
Separator plate; 1 mm thick; 3 mm oversized; gray		

Installation Notes

Installation



Terminal blocks are divided by a protruding separator plate.

Subject to changes. Please also observe the further product documentation!