



Data

Technical data

Number of spacings	8-way
--------------------	-------

Physical data

Depth	150 mm / 5.91 inches
Pin spacing	5/5.08 mm

Mechanical Data

Suitable	for male and female connectors with CAGE CLAMP® connection
----------	--

Material data

Fire load	0.915 MJ
Weight	30.8 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848

Subject to changes. Please also observe the further product documentation!

ETIM 7.0	EC002848
PU (SPU)	30 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332277334
Customs tariff number	82055980000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

280-438	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	
280-438	2017 Sep 11	doc	Download
doc - Datei		24.1 kB	


Environmental Product Compliance

Compliance Search

Environmental Product Compliance 280-438	URL	Download
Operating tool; made of insulating material; 8-way		

Installation Notes

Subject to changes. Please also observe the further product documentation!



Inserting a male connector via multipole operating tool.

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastraße 27

32423 Minden

Phone: +49 571 887-0 | Fax: +49 571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.