



Data
Physical data

Width	4 mm / 0.157 inches
Height	85 mm / 3.346 inches
Depth	37 mm / 1.457 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.219 MJ
Weight	7.3 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

Subject to changes. Please also observe the further product documentation!

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332286138
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block


Item no.: 282-133

2-conductor through terminal block; 6 mm²; with test option; for 4 mm Ø test plugs; same profile as 2-conductor disconnect terminal block; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/282-133

Disconnect terminal block for test and measurement


Item no.: 282-131

2-conductor disconnect/test terminal block; with test option; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm²; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/282-131

Disconnect terminal block


Item no.: 282-139

Ground conductor disconnect terminal block; 230 V; 6 mm²; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/282-139


Item no.: 282-140

Ground conductor disconnect terminal block; 24 V; 6 mm²; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/282-140


Item no.: 282-141

Ground conductor disconnect terminal block; 48 V; 6 mm²; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/282-141


Item no.: 282-138

Ground conductor disconnect terminal block; 120 V; 6 mm²; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/282-138


Item no.: 282-135

2-conductor disconnect/test terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm²; CAGE CLAMP®; 6,00 mm²; gray

www.wago.com/282-135

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Downloads

Documentation

Bid Text

282-315 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
------------------------	-------------	---------------	----------

282-315 doc - Datei	2017 Jun 12	doc 22.5 kB	Download
------------------------	-------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 282-315		URL	Download
----------------------	--	-----	----------

CAE data

EPLAN Data Portal 282-315		URL	Download
---------------------------	--	-----	----------

WSCAD Universe 282-315		URL	Download
------------------------	--	-----	----------

ZUKEN Portal 282-315		URL	Download
----------------------	--	-----	----------

Asset Administration Shell

Asset Administration Shell 282-315		URL	Download
------------------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 282-315 End and intermediate plate; 4 mm thick; orange		URL	Download
--	--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.