



Data

Material data

Note (material data)

Information on material specifications can be found here

Color	transparent
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Fire load	0.051 MJ
Weight	1.7 g

Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (10) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332283199
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

282-883	2019 Feb 19	xml	Download
X81 - Datei		2.6 kB	

282-883	2017 Mar 3	doc	Download
doc - Datei		24.1 kB	

Additional Information

		pdf	Download
		2.3 MB	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



CAD/CAE-Data

CAE data

WSCAD Universe 282-883	URL	Download
ZUKEN Portal 282-883	URL	Download
EPLAN Data Portal 282-883	URL	Download

CAD data

2D/3D Models 282-883	URL	Download
----------------------	-----	----------

Asset Administration Shell

Asset Administration Shell 282-883	URL	Download
------------------------------------	-----	----------

Environmental Product Compliance


Compliance Search

Environmental Product Compliance 282-883	URL	Download
Locking cover; mechanically locks multiple links; 3-pole; transparent		

Installation Notes

Locking system

Subject to changes. Please also observe the further product documentation!



Snapping transparent locking cover onto 1–8 disconnect links:

- a) Mechanically lock several links for multi-pole switching applications
- b) Protect markers



Snapping transparent locking cover onto 1–8 disconnect links:

- a) Mechanically lock several links for multi-pole switching applications
- b) Protect markers

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.